

G2LU3CAM01-WT

Charge & Sync Flip™ Pro - USB-C™ to Reversible USB- A Cable



USB-C™ to USB-A Cable

USB Type-C has the capability of integrating charge, sync, video and USB functions into a single port, but with all change, comes a period of transition. IOGEAR's Charge & Sync Flip™ Pro, USB-C to Reversible USB-A Cable, makes this transition easier by allowing you to connect all your USB-C devices such as the Samsung Galaxy S8, S8 Plus, MacBook® and Chromebook™ Pixel to standard USB-A devices.

The New Universal Standard


USB Type-C™ is the latest universal standard in connectivity. Compared to earlier generations of USB connectors, USB-C has a slim profile connector to support ultra-thin laptops and tablets. Although USB-C has a low-profile design, it packs a big punch when it comes to speed and power, boasting lightning fast data transmission speeds and power transmission. And best of all, it's reversible to allow hassle-free connecting. The new standard fixes the age-old problem of connecting your USB in the wrong way, eliminating the frustration of fumbling with the USB plug when connecting it to a computer. [Learn more about USB-C](#)

Connect your USB-C devices to USB-A devices

If you have purchased a new USB-C laptop or device, you are probably having a hard time using it with your other standard USB devices (hard drives, chargers, etc.). With the Charge & Sync Flip™ Pro, USB-C to Reversible USB-A Cable, you'll be able to do just that. The cable supports data transfer as well as charging output so that your USB-A devices are now compatible with USB-C ports.

- Connect your USB-C™ devices to standard USB-A devices
- Our Flip™ Reversible USB connector eliminates the frustration of plugging the USB-A on the wrong side
- Anodized aluminum shell provides superior durability over the standard USB Type-C™ cable
- Heavy duty, tangle-free design – suited with a braided-nylon fiber cable jacket
- Charges USB-C devices (phone, tablet)





Requirements

- USB-C enabled system

Package Contents

- 1 x G2LU3CAM01-WT
- 1 x Warranty Card

Specifications

Function	G2LU3CAM01-WT	Dimensions	G2LU3CAM01-WT
Cable Length	3.3 ft (1m)	POP Information	
Cable Type	USB 2.0	10" Peg Hook	7
Connectors		6" Peg Hook	5
USB	USB Type-C Male and Reversible USB Type-A Male	Unit Dimensions	
Materials		Length	40.75 inch (103.5 cm)
Cable Jacket	Nylon Braided	Inner Pack	
Max Output Power	5V 2.4A	Width	7.56" (19.2cm)
		Height	6.38" (16.2cm)
		Length	4.84" (12.3cm)
		Inner Pack Qty.	6
		Unit Package Dimensions	
		Width	4.38" (11.13cm)
		Height	5.75" (14.61cm)
		Depth	1.25" (3.18cm)
		Master Carton	
		Width	15.74" (40cm)
		Height	7.28" (18.5cm)
		Depth	10.43" (26.5cm)
		Master Carton Qty.	24
		Weight	
		Master Carton Wt.	4.95 lb (2.24 kgs)
		Inner Pack Wt.	0.95 lb (0.42 kgs)
		Unit Pack Wt.	0.06 lb (0.03 kgs)
		Unit Wt.	0.05 lb (0.02 kgs)