

GCS102U

MiniView™ USB KVMP Kit w/Cables



With increased data bandwidth, true Plug-n-Play compatibility and hot-swappability, USB has become the standard in low-mid speed peripheral communication. With this in mind, we developed the new MiniView™ KVMP switches with USB peripheral-sharing capability. Use the MiniView™ with a monitor, USB keyboard, USB mouse and two other USB devices - any USB devices. If you need to use more USB devices, connect a USB hub to increase the number of shared ports. With IOGEAR's USB MiniView™, peripheral sharing has never been easier.

Cables included!

- Share a monitor, USB keyboard, USB mouse, and two more USB devices among two computers (Add USB hubs to share up to up to 127 devices)
- Share USB broadband modem among two computers (not simultaneously)
- Bonded premium cables included
- Works with Macs, PCs and other USB-compliant computers
- USB 1.1 compliance ensures full compatibility with your USB devices
- Operating system-independent operation - no software required
- Connected computers can be added or removed from the setup without disturbing the other computers
- Plug-n-Play monitor support
- Supports video resolutions up to 1920 x 1440
- External power adapter included
- Simple push button switching
- Buffering technology prevents system failure
- LED allows for easy status monitoring
- Increases desk space and productivity while decreasing power and equipment costs
- Trim-line, compact design
- [3 Year Limited Warranty](#)



Requirements

- PCs or Macs with at least one available USB port
- A USB-compliant operating system
- A HDB15 video display adapter and monitor
- USB mouse and keyboard

Package Contents

- 1 MiniView USB KVM & peripheral switch
- 2 bonded USB-KVM cables
- 1 Power adapter
- 1 user manual
- 1 quick start guide
- 1 warranty registration card

Specifications

Function	GCS102U
Housing	
Case	Plastic / Metal
CPU Connectors	
Monitor	2 x HDB-15 Male (Std. VGA/SVGA)
Keyboard & Mouse	2 x USB Type B
Peripherals	2 x USB Type A
Console Connectors	
Mouse	1 x USB Type A
Keyboard	1 x USB Type A
Monitor	1 x HDB-15 Female (Std. VGA/SVGA)
Power	
Voltage	DC 5V
Amps	11mA (Max.)
LEDs	
Selected	2
On Line	2
Port Selection	Pushbutton
Power Consumption	DC 5V
Video Resolution	1920 x 1440 (Max.); DDC2B
Scan Interval	5 sec.
Emulation	
Keyboard	USB Plug-n-Play
Mouse	USB Plug-n-Play
Computer Connections	
Direct	2
Cable Length	2 ea @ 3.9ft (1.2 M)
Power Adaptor Part #	
for North America	# 0AD8-0005-261G
for Continental Europe	# 0AD6-1005-261G
for UK	# 0AD4-3005-261G

Dimensions	GCS102U
Unit Dimensions	
Height	1.8 in. (4.572 cm.)
Length	2.7 in. (6.85 cm.)
Width	4.8 in. (12.192 cm.)
Unit Package Dimensions	
Height	8.80 in. (22.35 cm.)
Width	10.5 in. (26.67 cm.)
Depth	3.8 in. (9.652 cm.)
Master Carton	
Height	11.5 in. (29.21 cm.)
Width	9.5 in. (24.13 cm.)
Depth	21.25 in. (53.98 cm.)
Master Carton Qty.	5
Weight	
Master Carton Wt.	13.25 lbs. (5.97 kg.)
Unit Pack Wt.	2.3 Lbs. (1.035 kg.)
Unit Wt. w/accessories	2.5 lbs
Unit Wt.	0.4 Lbs. (0.18 kg.)