

GCS1734-KM1

## 4-Port Dual Platform KVMP Switch w/ Wireless Keyboard and Mouse Kit



The GCS1734-KM1 is a special combo which combines the power of IOGEAR's popular 4 port USB KVMP and the long range 2.4GHz wireless media center keyboard and mouse. This allows you to work wirelessly across all 4 computer's attached to the KVMP for an efficient and convenient working station.

GCS1734 MiniView™ Extreme Multimedia KVMP Switch w/Cables, USB / PS/2 A KVMP is a KVM Peripheral Sharing Switch which brings extra value to conventional KVM switches by offering USB peripheral sharing capabilities, audio and microphone support. Multi-platform support for Windows, Mac, and Sun systems using USB or PS/2 (additional cables needed for PS/2, IOGEAR Part No. G2L5302P).

Further details can be found here: <http://www.iogear.com/product/GCS1734>

### GCS1734 MiniView™ Extreme Multimedia KVM

- 4 port Multi functional switch allows two USB or PS/2\*\* computers to share one USB console and two USB peripheral devices such as printers and scanners, as well as speakers and a microphone
- Conveniently switch USB peripheral devices from one computer to another using Hot Keys
- USB peripheral devices and USB consoles can be switched asynchronously from one computer to another using Hot Keys
- Fully compliant with USB 1.1 specifications
- Complete keyboard and mouse emulation for error free booting
- Support special keys on Mac and Sun keyboard
- Allows PC keyboards to simulate Mac and Sun special keys through Hotkeys
- Features AutoScan mode to monitor all computers
- LED display for easy status monitoring

- AutoScan mode to monitor all computers
- Superior video quality - supports resolutions up to 2048 x 1536
- Extra convenience offered through sharing of speakers and microphone
- Easy installation: no software required, hot swappable
- Compact design for easy placement

### GKM551R - Wireless MCE Keyboard with Laser Mouse\*

- Secure 2.4GHz operating range of 33 ft
- Laser Mouse with soft rubber grips
- Control your multimedia functions with media center hot keys
- Patented Scissor-Key Structure


\*Depending on available inventory the included keyboard/mouse will be either GKM551R or GKM552R

\*\* (additional cables needed PS/2, IOGEAR Part No. [G2L5302P](http://www.iogear.com/product/G2L5302P))



### How does it work?

- Connect your computers to the KVMP switch with the included cables
- Connect your mouse, keyboard(GKM551R), speakers, and monitor to the console side of the KVMP.
- Share peripherals



### Requirements

### Package Contents

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Computers with USB or PS/2 connections (additional cables needed for PS/2 computers, USB peripheral ports won't function when use PS/2 cables.)</li> <li>• Windows XP / Vista 32/64</li> <li>• Mac OS 8.6 or greater</li> <li>• Sun Solaris workstation</li> <li>• Linux, UNIX and other USB supported systems*</li> </ul> | <ul style="list-style-type: none"> <li>1 x 4-Port MiniView™ Extreme Multimedia KVMP Switch</li> <li>1 x Wireless Keyboard</li> <li>1 x Wireless Laser Mouse</li> <li>1 x USB RF Receiver</li> <li>4 x USB KVM Cables</li> <li>1 x Firmware Upgrade Cable</li> <li>1 x USB Extension Cable</li> <li>4 x AAA Battery</li> <li>1 x Power Adapter</li> <li>1 x Quick Start Guide</li> <li>1 x User Manual</li> <li>2 x Warranty Card</li> </ul> |
|---|---|

\*Additional drivers and support may be needed

- Audio: Only support 2-piece, powered speakers systems

## Specifications

Function	GCS1734-KM1
<b>Console Connectors</b>	
Monitor	1 x HDB-15 Female
Keyboard	1 x USB Type A
Mouse	1 x USB Type A
Audio	1 x 3.5mm Audio Jack
Microphone	1 x 3.5mm Audio Jack
<b>CPU Connectors</b>	
Keyboard, Mouse, and Monitor	4 x SPHD-15 Female (Yellow)
Audio	8 x 3.5mm Audio Jack
<b>Emulation</b>	
Keyboard	USB
Mouse	USB
<b>Resolution</b>	2048x1536 (Max.); DDC/ DDC2B/ DDC2AB
<b>Port Selection</b>	Via Pushbutton or Hotkeys
<b>LEDs</b>	
Selected	4
On Line	4
USB Peripherals	4
<b>Power</b>	
Voltage	DC 5V
Amps	2.6A
<b>Power Adaptor Part #</b>	
for North America	# 0AD8-0005-261G
for Continental Europe	# 0AD6-1005-261G
for UK	# 0AD4-3005-261G
<b>Environment</b>	
Operation Temperature	4-40°C
Storage Temperature	-20-60°C
Humidity	0-80% RH, Non-condensing
<b>Housing</b>	
Case	Plastic

Dimensions	GCS1734-KM1
<b>Master Carton</b>	
Width	10 in
Height	9 in
Depth	22 in
Master Carton Qty.	1
<b>Weight</b>	
Master Carton Wt.	9.2 lbs