

GCS1734

4-Port MiniView™ Extreme Multimedia KVMP Switch w/Cables



- Control four USB or PS/2* computers from 1 keyboard, monitor, and mouse
- Share two USB peripheral devices such as printers and scanners, as well as speakers and a microphone*
- High Resolution: Up to 2048 x 1536
- Multi OS platform support
- Computer switching via front panel pushbuttons or hotkeys

4-Port VGA KVMP Switch with USB & PS/2 Interface and Audio

IOGEAR's MiniView™ Extreme Multimedia KVM and Peripheral Sharing Switch brings extra value to conventional KVM switches by offering USB peripheral sharing capabilities, audio and microphone support. Control and switch up to 4 computers from a set of USB or PS/2 keyboard, mouse, and VGA monitor. This 4-Port VGA KVMP switch is an out-of-the-box solution as all cables* are included. Save money and reduce clutter by eliminating the need for multiple monitors, keyboards, mice, and peripheral devices such as printers, scanners, external hard drives, and more. Up to 127 different USB devices can be daisy chained from this KVMP switch. Sharing speakers and a microphone also offers extra value and convenience for the users.

USB and KVM technology together makes cross-platform management easy. A single USB console can control a PC and a Mac, or even a Sun workstation, and share peripherals and audio devices between the computers. Any USB-enabled computers, using any USB-compatible operating system, can benefit from the efficiency, expense reduction and convenience of IOGEAR's MiniView™ Extreme KVMP switch.

*In the case when you need extra cables for PS/2 connections: IOGEAR Part No. [G2L5302P](#)

- Control four USB or PS/2* computers from 1 keyboard, monitor, and mouse
- Share two USB peripheral devices such as printers and scanners, as well as speakers and a microphone*
- High Resolution: Up to 2048 x 1536
- Multi OS platform support
- Computer switching via front panel pushbuttons or hotkeys
- Asynchronous hotkey switching between KVM focus, USB peripheral, and Audio ports
- Complete keyboard and mouse emulation for error free booting
- Support special keys on Mac and Sun keyboard
- LED display for easy status monitoring
- Easy installation: no software required, hot swappable
- Firmware Upgradable

*PS/2 KVM Cables are available and sold separately.



Requirements

- **Console:**
 - 1x VGA Display
 - 1 x standard 104 key wired USB keyboard
 - 1 x standard wired USB mouse
- **Computers:**
 - VGA Port
 - USB Port*
 - Audio / Mic Port
- **Operating Systems:**
 - Windows® XP, Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1, Windows® 10
 - Mac OS 9 to 10.x
 - Oracle® Solaris
 - Linux®, Unix and other USB supported systems*

Package Contents

- 1 MiniView™ Extreme Multimedia KVMP switch
- 4 USB KVM bonded cables
- 1 User manual
- 1 Warranty card
- 1 Power adapter
- 1 Firmware upgrade cable

*Additional drivers and support may be needed.

**PS/2 KVM Cables are available and sold separately.

***Does not support display emulation for Windows 7 (EDID).

Specifications

Function	GCS1734	Dimensions	GCS1734
Housing		Unit Dimensions	
Case	Plastic/Metal	Height	1.7 in. (4.318 cm.)
Console Connectors		Depth	3.5 in. (8.89 cm.)
Mouse	1 x USB Type A	Width	8 in. (20.32 cm.)
Keyboard	1 x USB Type A	Inner Pack	
Monitor	1 x HDB-15 Female (Std. VGA/SVGA)	Height	13.625 in. (34.59cm)
Audio	1 x stereo speaker; 1 x Microphone	Length	9.125 in. (23.17cm)
Flash ROM Upgrade	1 x RJ11 socket	Width	14.75 in. (37.465 cm)
Power		Inner Pack Qty.	3
Voltage	DC 5V	Unit Package Dimensions	
Amps	2.6 AMP	Height	8.3 in. (21 cm)
LEDs		Width	3.8 in. (9.7 cm)
Selected	4	Depth	12.8 in. (32.5 cm)
On Line	4	Master Carton	
USB Peripherals	4	Height	13.8 in. (35 cm)
Port Selection		Width	17.7 in. (45 cm)
Power Consumption		Depth	12.6 in. (32 cm)
Video Resolution		Master Carton Qty.	6
Scan Interval		Weight	
Emulation		Master Carton Wt.	29.5 lb. (13.4 kg)
Keyboard	USB Plug-n-Play	Inner Pack Wt.	15.35 lb. (6.962 kg)
Mouse	USB Plug-n-Play	Unit Pack Wt.	4.7 lb. (2.131 kg)
Computer Connections		Unit Wt.	1.1 Lbs. (0.50 kg.)
Direct	4		
CPU Connectors			
Audio	4 x stereo speaker; 4 x Microphone		
Peripherals	2 x USB Type A		
Keyboard, Mouse, and Monitor	4 x SPDB15		
Operating Temperature			
Storage Temperature			
Humidity			
Cable Length			
Peripheral Sharing			
Power Adaptor Part #			
for North America	# 0AD8-0005-261G		
for Continental Europe	# 0AD6-1005-261G		
for UK	# 0AD4-3005-261G		