

GCS22U

2-Port USB KVM Switch with Cables and Remote



2-Port USB VGA KVM Cable Switch

IOGEAR's 2-Port USB VGA Cable KVM allows users to share a VGA monitor, a USB mouse, and a USB keyboard between two computers. It is the ideal competitively priced - entry level KVM solution that allow users to multitask with ease.

Straight Forward KVM Solution

This USB VGA KVM switch offers an out-of-box solution with no additional cables needed. The USB KVM cables and remote switch are already built in the switch. Conveniently switch between computers by using the 6ft wired remote switch button. This cable KVM switch does not require a power supply as it is powered through the USB bus connection. The 2-port KVM switch also supports multiple operating systems including Windows, Sun, and Mac. It is entirely plug-n-play solutions with no software to run.

Secure Switching

The 2-port USB VGA KVM switch also offers a cost effective solution to increase security by allowing users to switch between the Internet connected PC and an Intranet connected PC, a way to boost Internet security.

- One USB keyboard, USB mouse, and VGA monitor control two computers
- Separate the Internet and Intranet with the click of a button
- Max resolution: 2048 x 1536, DDC2B
- Plug-n-Play monitor support
- Molded-in cables to simplify setup
- Compact design features two attached KVM (USB and VGA) cables
- Supports Windows® 7, 8.1, 10, 11, Mac OS® X 9.0+, Linux®, Unix and other USB supported systems
- No software drivers required – simply connect the cables to the computers
- Computer selection via 6 ft remote controller cable that can be placed on your desk for easy reach
- Mac keyboard support
- Supports programmable mice
- No power adapter required
- 3 Year Limited Warranty



- Connect your monitor, keyboard and mouse to the KVM
- Connect the KVM USB cables to each computer
- Press the button on the remote controller to switch computers



Requirements

Package Contents

Console:

- 1 VGA display
- Standard 104 key wired USB keyboard
- Standard 2 or 3 button wired USB mouse

- 1 x 2-Port USB Cable KVM
- 1 x Quick Start Guide
- 1 x Warranty Card

Computers:

- 1 VGA port
- 2 USB ports

Operating Systems:

- Windows® 7, 8.1, 10, 11
- Mac OS® X 9.0+
- Linux®, Unix and other USB supported systems*

*Additional drivers and support may be needed

Specifications

Function	GCS22U
CPU Connectors	
Monitor	VGA
Keyboard & Mouse	USB
Console Connectors	
Monitor	VGA
Keyboard & Mouse	USB
Cable Length	2 x 4 ft ea
Cable Type	Bonded USB
Connectors	
Keyboard	USB
Mouse	USB
Video Input	VGA

CPU Connectors

Monitor	VGA
Keyboard & Mouse	USB

Console Connectors

Monitor	VGA
Keyboard & Mouse	USB

Cable Length 2 x 4 ft ea

Cable Type Bonded USB

Connectors

Keyboard	USB
Mouse	USB
Video Input	VGA

Dimensions	GCS22U
POP Information	
10" Peg Hook	3
Unit Dimensions	
Height	.87 in
Depth	2.5 in
Width	3 in
Inner Pack	
Height	8.25 in
Length	
Width	12.5 in
Inner Pack Qty.	6
Unit Package Dimensions	
Height	7.6 in
Width	7.4 in
Depth	2.25 in
Master Carton	
Height	9.4 in
Width	13.25 in
Depth	16.25 in
Master Carton Qty.	12
Weight	
Master Carton Wt.	13.6 lbs
Inner Pack Wt.	6.2 lbs
Unit Pack Wt.	1.0 lb
Unit Wt.	14 oz

POP Information

10" Peg Hook	3
--------------	---

Unit Dimensions

Height	.87 in
Depth	2.5 in
Width	3 in

Inner Pack

Height	8.25 in
Length	
Width	12.5 in
Inner Pack Qty.	6

Unit Package Dimensions

Height	7.6 in
Width	7.4 in
Depth	2.25 in

Master Carton

Height	9.4 in
Width	13.25 in
Depth	16.25 in
Master Carton Qty.	12

Weight

Master Carton Wt.	13.6 lbs
Inner Pack Wt.	6.2 lbs
Unit Pack Wt.	1.0 lb
Unit Wt.	14 oz