

## GCS62HMDPKIT

# 2-Port HDMI and Mini DisplayPort Cable KVM Kit

- Switch between two computers with the push of a button
- Offers the flexibility to mix and match computer connections: HDMI and DisplayPort 1.1a
- Includes 2 x Mini DisplayPort to HDMI adapters
- No external power needed
- Save Cabling Costs: ALL cables are included




## 2-Port Cable HDMI / Mini DisplayPort KVM Switch

- Switch between two computers with the push of a button
  - Offers the flexibility to mix and match computer connections: HDMI and Mini DisplayPort
  - Includes 2 x Mini DisplayPort to HDMI adapters
  - No external power needed
  - Cost effective, Plug-N-Play solution
- 
- Share a display with HDMI connection, a USB keyboard and mouse, with 2 USB computers
  - Separate the Internet and Intranet with the click of a button
  - Full 1080p and up to 1920 x 1200 @ 60Hz
  - Digital Audio support
  - HDCP Compliant
  - Supports Windows® 7, 8.1, 10, 11, Mac OS® X 9.0+, Linux®, Unix and other USB supported systems
  - Works with game consoles
  - Port switching via remote switch button, mouse or hotkeys
  - Hotkeys allows independent KVM and audio switching between computers
  - Includes 2.1 stereo sound and microphone support
  - USB 2.0 Peripheral Sharing via mouse port. Connect a powered USB Hub to expand your USB connectivity\*
  - USB mouse and keyboard emulation for error-free boot-up and instantaneous recognition when switching computers
  - Power-On Detection – If one of the computers is powered off, it will automatically switch to the next powered-on computer
  - Re-programmable hotkey activation for keyboards without a scroll lock key
- 
- Keyboard emulation can be disabled to support gaming keyboard's special keys
  - Mouse emulation can be disabled to support mice with special keys
  - Mac and Sun keyboard support
  - Firmware upgradeable
  - All cables are included
  - Plug-n-play; no software required
  - Mini DisplayPort to HD Adapters:
    - Converts your Mini DisplayPort to HD so you can connect to a HD projector, TV or monitor.
    - Works with Apple® iMac® or MacBook®
    - Compliant with Mini DisplayPort Specification 1.1a for both 1.62 Gbps and 2.7 Gbps
    - Support full Mini DisplayPort link tracking
    - Supported resolutions:
      - Full HD 1080p
      - 1920x1200
    - Compliant with HDMI up to 2.25Gbps
    - Support interrupt request output for expansion function
    - Supports Deep Sleep Mode (suspend mode)

\*IOGEAR's DynaSync provides the EDID support for Windows 7

\*\*Mouse emulation must be disabled for this feature to function correctly





## Requirements

## Package Contents

### Console:

- 1 x HDMI display
- 1 x standard 104 key wired USB keyboard
- 1 x standard 2 or 3 button wired USB mouse

- 1 x 2-Port HD Cable KVM Switch
- 2 x Mini DisplayPort to HDMI Adapters
- 1 x Installation Guide
- 1 x Warranty Card

### Computers:

- 1 x HDMI or MiniDisplayPort port
- 2 x USB ports

### Operating Systems:

- Windows® 7, 8.1, 10, 11
- Mac OS® X 9.0+
- Oracle® Solaris
- Linux®, Unix and other USB supported systems\*

*\*Additional drivers and support may be needed*

*\*\*IOGEAR's Display Emulation Technology provides the EDID support for Windows® 7*

## Specifications

Function	GCS62HMDPKIT
<b>Computer Connections</b>	
Direct	2
<b>Console Connectors</b>	
Monitor	1 x HDMI Female
Keyboard	1 x USB Type A Female
Mouse	1 x USB Type A Female
Audio	1 x 3.5mm Mini Stereo Jack Female (Green)
Microphone	1 x 3.5mm Mini Stereo Jack Female (Pink)
<b>CPU Connectors</b>	
Monitor	2 x HDMI Male; 2 x Mini DisplayPort Male (with adapter)
Keyboard	2 x USB Type A Male (Purple)
Mouse	2 x USB Type A Male (Black)
Audio	2 x 3.5mm Mini Stereo Jack Male (Green)
Microphone	2 x 3.5mm Mini Stereo Jack Male (Pink)
<b>LEDs</b>	
On Line	2 x Green
<b>Emulation</b>	
Keyboard	USB
Mouse	USB
<b>Scan Interval</b>	3, 5, 10, 20 seconds (Default 5 seconds)
<b>Environment</b>	
Storage Temperature	-20~60°C
Operation Temperature	0~50°C
Humidity	0~80%; Non-condensing
<b>Housing</b>	
Case	Plastic
<b>Video Resolution</b>	1080p; 1920x1200
<b>Port Selection</b>	Remote Switch, Hotkey, and Mouse

Dimensions	GCS62HMDPKIT
<b>POP Information</b>	
10" Peg Hook	5
6" Peg Hook	3
<b>Unit Dimensions</b>	
Height	2.5" (6.35cm)
Length	3.125" (7.93cm)
Depth	1" (2.54cm)
<b>Unit Package Dimensions</b>	
Height	9.25" (23.49cm)
Width	6.5" (16.51cm)
Depth	2.75" (6.99cm)
<b>Master Carton</b>	
Height	9.5" (24.13cm)
Width	16" (40.64cm)
Depth	7.5" (19.05cm)
Master Carton Qty.	6
<b>Weight</b>	
Master Carton Wt.	8.96lb (4.07kg)
Unit Pack Wt.	1.36lb (0.62kg)
Unit Wt.	1.00lb (0.45kg)