

GCS72CC

2-Port 4K USB-C KVM Switch with DisplayPort output



- One USB keyboard, mouse and one DisplayPort monitor control two USB-C computers
- Superior video quality – up to 4K DCI (4096 x 2160 @ 60Hz)
- Computer selection via remote port selector
- DisplayPort 1.2 compliant
- Supports USB hot-plugging
- The console USB ports can be used for USB peripheral sharing
- Multiplatform support – Windows, Mac and Linux
- Plug and play
- Bus-powered – no external power adapter required


Flexible and Expandable

The 2-port 4K KVM Switch with displayPort/USB-C and Audio is designed with displayPort 1.2 technology, perfect for those who need to get the job done in the office and at home.

Need more USB ports? No problem! Plug in a USB hub to expand your peripheral sharing between your computers.

- | | |
|--|--|
| <ul style="list-style-type: none"> • One USB keyboard, mouse and one DisplayPort monitor control two USB-C computers • Superior video quality – up to 4K DCI (4096 x 2160 @ 60Hz) • Computer selection via remote port selector • DisplayPort1.2 compliant | <ul style="list-style-type: none"> • Supports USB hot-plugging • The console USB ports can be used for USB peripheral sharing • Multiplatform support – Windows, Mac and Linux • Plug and play • Bus-powered – no external power adapter required |
|--|--|





Requirements

Package Contents

Console

- DisplayPort monitor
- Standard 104-key wired USB keyboard
- Standard 2 or 3 button wired USB mouse

- 1x GCS72CC
- 1x Quick Start Guide
- 1x Warranty Card

Computers

- USB Type-C port

Operating Systems

- Windows®7, 8.1, 10, 11
- Mac OS X 9.0+
- Linux®, UNIX®, and other USB supported systems

Specifications

Function	GCS72CC	Dimensions	GCS72CC
Computer Connections		Unit Package Dimensions	
Direct	2	Height	8.75 in (22.3 cm)
Port Selection		Length	2.25 in (5.7 cm)
	Remote Port Selector	Width	6.25 in (15.9 cm)
Console Connectors		Master Carton	
Monitor	1 x DisplayPort	Height	7.25 in (18.4 cm)
Keyboard	1 x USB Type A	Length	15.2 in (38.6 cm)
Mouse	1 x USB Type A	Width	8.13 in (20.6cm)
CPU Connectors		Master Carton Qty.	6
Keyboard, Mouse, and Monitor	2x USB Type-C	Weight	
LEDs		Master Carton Wt.	4.75 lb (2.16 kg)
KVM	2 x White	Unit Pack Wt.	0.7 lb. (0.3 kg)
Emulation			
Keyboard	Pass Through		
Mouse	Pass Through		
Video Resolution			
	up to 4096 x 2160 @60Hz		
Environment			
Operation Temperature	32~122 F(0~50C)		
Storage Temperature	-4~140F (-20~60C)		
Humidity	0~80% RH, Non-condensing		
Housing			
Case	Plastic		
Cable Length			
	4 ft.		