

GCS72DPKIT

## 2-Port USB VGA and DisplayPort Cable KVM Kit




- Switch between two computers with the push of a button
- Offers the flexibility to mix and match computer connections: VGA and DisplayPort
- Includes 2 x DisplayPort to VGA adapters
- No external power needed
- Save Cabling Costs: All cables are included

### 2-Port Cable VGA / DisplayPort KVM Switch


- Switch between two computers with the push of a button
  - Offers the flexibility to mix and match computer connections: VGA and DisplayPort
  - Includes 2 x DisplayPort to VGA adapters
  - No external power needed
  - Cost effective, Plug-N-Play solution
- Switch between two computers with the push of a button
  - Offers the flexibility to mix and match computer connections: VGA and DisplayPort
  - Includes 2 x DisplayPort to VGA adapters
  - No external power needed
  - Cost effective, Plug-N-Play solution
  - One USB keyboard, USB mouse, and VGA monitor control two computers
  - Max resolution: 2048 x 1536, DDC2B
  - 2.1 Stereo audio and microphone support
  - 3' long molded-in cables to simplify setup
  - Compatible with PC, MAC and SUN operating platforms
  - Supports Windows XP or higher, Mac OS 9.0 or higher, Sun Solaris 9 or higher
  - Full Mac keyboard support
- Supports programmable mice
  - All cables included
  - 2 x DisplayPort to VGA Adapters convert your DisplayPort to VGA:
    - Works with computer systems using DisplayPort
    - Compliant with Displayport Specification 1.1a for both 1.62 Gbps and 2.7 Gbps
    - Support full DisplayPort link tracking
    - Supported resolutions:
      - Full HD 1080p
      - 1920x1200
      - VGA, SVGA, XGA, SXGA and UXGA at 162 MHz pixel rate
    - Support interrupt request output for expansion function
    - Support Deep Sleep Mode (suspend mode)



**Solution 1**



**Solution 2**



**Requirements**

**Package Contents**

- **Console:**
  - 1 x VGA display
  - 1 x standard 104 key wired USB keyboard
  - 1 x standard 2 or 3 button wired USB mouse
- **Computers:**
  - VGA or DisplayPort port
  - USB ports
  - 3.5mm audio port (optional)
- **Operating Systems:**
  - Windows Vista®, Windows® 7, Windows® 8.1, Windows® 10
  - Mac OS 9 to 10.x
  - Oracle® Solaris
  - Linux®, Unix and other USB supported systems\*

- 1 x 2-Port USB Cable KVM
- 2 x DisplayPort to VGA Adapters
- 1 x Quick Start Guide
- 1 x Warranty Card

\*Additional drivers and support may be needed

## Specifications

Function	GCS72DPKIT	Dimensions	GCS72DPKIT
<b>Computer Connections</b>		<b>POP Information</b>	
Direct	2	10" Peg Hook	4
<b>Console Connectors</b>		6" Peg Hook	2
Monitor	VGA	<b>Unit Dimensions</b>	
Keyboard	USB	Height	6" (15.24cm)
Mouse	USB	Depth	7" (17.78cm)
<b>CPU Connectors</b>		Length	2" (5.08cm)
Monitor	2 x VGA; 2 x DisplayPort (with adapters)	<b>Unit Package Dimensions</b>	
Keyboard & Mouse	2 x USB	Width	6.25" (15.87cm)
<b>LEDs</b>		Height	8.87" (22.54cm)
On Line	Green	Depth	2.25" (5.72cm)
<b>Video Resolution</b>	2048x1536 (VGA), 1920x1200 (with adapters)	<b>Master Carton</b>	
<b>Port Selection</b>	Remote Pushbutton	Width	8" (20.32cm)
<b>Cable Length</b>	2 x 3ft each	Height	7" (17.78cm)
<b>Cable Type</b>	Bonded USB KVM	Depth	15.25" (38.74cm)
<b>Housing</b>		Master Carton Qty.	6
Case	Plastic	<b>Weight</b>	
		Master Carton Wt.	7.52lb (3.42kg)
		Unit Pack Wt.	1.14lb (0.52kg)
		Unit Wt. w/accessories	0.92lb (0.42kg)
		Unit Wt.	0.82lb (0.37kg)