

GCS72U

## 2-Port USB Cable KVM Switch with Audio and Mic



### 2-Port USB Cable KVM with Audio Support

IOGEAR's 2-Port USB Cable KVM Switch with Audio and Mic allows users to share a VGA monitor, a USB mouse, a USB keyboard, a set of powered speakers and a mic between two computers. Control and switch easily between connected computers from one set of console.

### Convenience in Connectivity

The 2-Port KVM switch comes complete with built in KVM cables and remote pushbutton, offering convenient connectivity in a compact design. No need to worry about compatibility as the GCS72U supports multiple operating system and plug-n-play, no software installation needed. Simply connect the attached cables to your computers, keyboard, mouse, monitor, and you are set!

### Cost Effective Solution

This 2-Port switch is the ideal KVM solution for those who want a competitively priced, entry level KVM that will increase security between Internet and Intranet connected PCs. Ease multitasking between two computers with IOGEAR's 2-Port USB Cable KVM Switch with Audio and Mic.

- One USB keyboard, USB mouse, and VGA monitor control two computers
- Separate the Internet and Intranet with the click of a button
- Max resolution: 2048 x 1536, DDC2B
- 2.1 Stereo audio and microphone support
- Plug-n-Play monitor support
- 3' long molded-in cables to simplify setup
- Compact design features two attached KVM (USB and VGA) cables
- Compatible with PC, MAC and SUN operating platforms
- Supports Windows XP or higher, Mac OS 9.0 or higher, Sun Solaris 9 or higher
- No software drivers required – simply connect the cables to the computers
- Computer selection via convenient a one touch pushbutton switch that can be placed on your desk
- Full Mac keyboard support
- Supports programmable mice
- No power adapter required



- Connect your monitor, keyboard, mouse, a set of powered speakers and microphone to the KVM
- Connect the USB KVM cables to each computer
- Press the remote switch button to switch between computers



### Requirements

### Package Contents

#### Console:

- 1 x VGA display
- 1 x standard 104 key wired USB keyboard
- 1 x standard 2 or 3 button wired USB mouse

- 1 x 2-Port USB Cable KVM
- 1 x Quick Start Guide
- 1 x Warranty Card

#### Computers:

- 1 x VGA port
- 2 x USB port
- 1 x 3.5mm audio port

#### Operating Systems:

- Windows® XP, Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1, Windows® 10
- Mac OS 9 to 10.x
- Oracle® Solaris
- Linux®, Unix and other USB supported systems\*

\*Additional drivers and support may be needed

## Specifications

Function	GCS72U	Dimensions	GCS72U
<b>CPU Connectors</b>		<b>POP Information</b>	
Monitor	VGA	10" Peg Hook	4
Keyboard & Mouse	USB	6" Peg Hook	2
<b>Console Connectors</b>		<b>Unit Dimensions</b>	
Monitor	VGA	Width	6in.
Keyboard & Mouse	USB	Height	7in.
<b>Cable Length</b>	2 x 3 ft ea	Depth	2in.
<b>Cable Type</b>	Bonded USB	<b>Unit Package Dimensions</b>	
<b>Connectors</b>		Width	6.25in.
Keyboard	USB	Height	8.875in.
Mouse	USB	Depth	2.25in.
Video Input	VGA	<b>Master Carton</b>	
		Width	8in.
		Height	7in.
		Depth	15.25in.
		Master Carton Qty.	6
		<b>Weight</b>	
		Master Carton Wt.	6.92lb
		Unit Pack Wt.	1.04lb
		Unit Wt.	0.82lb