

GCS942UW6

Hybrid DVI-D KVM with cables and audio



IOGEAR's new GCS942UW6 DVI-D Hybrid KVM addresses the problem of connecting a USB mouse and PS/2 keyboard to a KVM. No longer do you need to give up your favorite keyboard or mouse to accommodate a PS/2 or USB only KVM – this is the best of both worlds.

In addition to the hybrid connections you can share your desktop speakers and microphone between both computers, plus have the ability to switch them independently from KVM functions. You can make an internet call from one computer while working on a spreadsheet on another computer without skipping a beat.

The GCS942UW6 has a selectable rate Auto scan mode to allow hands-off monitoring of your computers which is perfect for the times when you have processes running on both computers, and want to monitor their progress, i.e. a virus scan on one and a disk defragmenting.

- Hybrid connections for USB mouse and PS/2 keyboard
- Hot key or manual switching

- Independent Audio switching (hot key only)
- Asymmetric cable lengths
- DVI-D video resolution up to 1920 x 1200, DDC2B







Requirements

Console

- PS/2 keyboard
- USB mouse
- Powered desktop speakers and microphone (optional)
- A monitor that accepts digital signals

Computers

- PS/2 keyboard port
- USB type A port
- DVI-D Video output

Package Contents

- 1 x GCS942UW6 KVM
- 1 x Remote switch
- 1 x User Guide
- 1 x Registration card



Specifications

Function GCS942UW6	Dimensions GCS942UW6
CPU Connectors	Unit Dimensions
Mouse 2 x USB 2.0 Type A Male (Black)	Height .575 in [1.46cm]
Keyboard 2 x 6-pin Mini-DIN Male (Purple)	Depth 1 in [2.54cm]
Monitor 2 x DVI - D Male (Black)	Width 1.75 in [4.45cm]
Microphone 2 x Mini Stereo Plug Male (Pink)	Inner Pack
Audio 2 x Mini Stereo Plug Male (Green)	Height 11.37 in [28.89cm]
Console Connectors	Length 9.23 in [23.46cm]
Mouse USB 2.0 Type A Female (Black)	Width 8.25 in [20.96cm]
Keyboard 1 x 6-pin Mini-DIN Female (Purple) [P	[5/2] Inner Pack Qty. 3
Monitor DVI - D Male (Black)	Unit Package Dimensions
Microphone Mini Stereo Jack Female (Pink)	Height 10.4in [26.5cm]
Audio 2 x Mini Stereo Jack Female Green	Width 7.6 in [19.3cm]
Port Selection Hot Key or Manual Pushbutton	Depth 2.83 in [7.2cm]
Video Resolution 1920 x1200 @60Hz; DDC2B	Master Carton
Scan Interval 3, 5, 10, 20 Seconds	Height 12.5 in [31.75cm]
Cable Connections	Width 10 in [25.4cm]
Input [0.15m]	Depth 16.8 in [42.86cm]
Output [0.6m], [1.2m]	Master Carton Qty. 6
Shared Functions Audio / Microphone	Weight
LEDs	Master Carton Wt. 13.4lb
Manual select Active port indicator	Inner Pack Wt. 6.4lb
Connectors	Unit Pack Wt. 1.8lb
Video Input DVI-D	Unit Wt. w/accessories 1.2lb
USB USB-2	Unit Wt. 1.2lb
Video Output DVI-D	
Console Selection Hot Key / Manual Button	