

GDPSP2KIT

2-Port DisplayPort 1.2 Cinema 4K Splitter & Multi- Monitor MST Hub w/Cables Kit



- Connect 2 independent displays from a single DisplayPort 1.2 video output
- Mirror or extend a desktop across 2 displays from a computer with 1 DisplayPort output
- Enjoy Cinema 4K video resolutions up to 4096 x 2160 @60Hz
- With DisplayPort 1.2 Graphic Cards:
 - 2 Monitors: Up to 4K 4096 x 2160 @60Hz (DisplayPort/HDMI)
- Supports 7.1 digital audio surround sound

2-Port DisplayPort Cinema 4K Splitter and MST Hub with cables

Connect two displays from a single DisplayPort 1.2-enabled computer with the IOGEAR 2-Port DisplayPort Splitter/MST Hub. Increase productivity and workflow by expanding the amount of usable screen space on two independent screens for multi-document viewing, media streaming, and content/web browsing, or mirror your computer's display across two monitors to allow remote viewing applications such as monitoring equipment diagnostics or the status of a remote server. The kit comes complete with two DisplayPort cables for a trouble-free installation.

Cinema 4K Video Support

IOGEAR's 2-Port DisplayPort 1.2 Splitter and MST Hub supports Cinema 4K resolutions up to 4096 x 2160 @60Hz and is ideal for use with applications such as medical imaging, graphic design, gaming, and more.

- | | |
|--|---|
| <ul style="list-style-type: none"> • Connect 2 independent displays from a single DisplayPort 1.2 video output • Mirror or extend a desktop across 2 displays from a computer with 1 DisplayPort output • Enjoy Cinema 4K video resolutions up to 4096 x 2160 @60Hz • With DisplayPort 1.2 Graphic Cards: <ul style="list-style-type: none"> ◦ 2 Monitors: Up to 4K 4096 x 2160 @60Hz (DisplayPort/HDMI) | <ul style="list-style-type: none"> • Supports 7.1 digital audio surround sound • Push-button toggle between Single Stream Transport (SST) and Multi-Stream Transport (MST) • DPCP & HDCP compliant • No driver or software installation needed • Supports DisplayPort 1.2a; HDCP 1.3 • Complete with cables |
|--|---|



Requirements

- **Hardware:**
- Computer with DisplayPort 1.2 compatible graphics card
- 2 Monitors with DisplayPort ports

Package Contents

- 1 x GDPSP2 2-Port DisplayPort Splitter/MST Hub
- 1 x Power Adapter
- 2 x DisplayPort Cables
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

| Function | GDPSP2KIT | Dimensions | GDPSP2KIT |
|--------------------------|----------------------------|--------------------------------|------------------|
| Cable Connections | | Unit Dimensions | |
| Input | DisplayPort 1.2 | Height | 1" (2.5 cm) |
| Output | DisplayPort 1.2 | Depth | 4.4" (11.1 cm) |
| Connectors | | Length | 3" (7.6 cm) |
| Video Input | 1 x DisplayPort Female | Unit Package Dimensions | |
| Video Output | 2 x DisplayPort Female | Width | 9.4" (23.8 cm) |
| Data Rate | | Height | 2.32" (5.9 cm) |
| Up to 5.4Gbps | | Depth | 6.3" (16 cm) |
| Environment | | Weight | |
| Operation Temperature | 32°F~104°F (0°C~40°C) | Unit Pack Wt. | 1.3 lb (0.6 kg) |
| Storage Temperature | -4°F~140°F (-20°C~60°C) | Unit Wt. | 0.45 lb (0.2 kg) |
| Humidity | 20~90% RH (Non Condensing) | | |
| Housing | | | |
| Case | Metal | | |
| LEDs | | | |
| Input | 1 | | |
| Output | 2 | | |
| Power | | | |
| Amps | 2A | | |
| Voltage | DC 5V | | |
| Video Resolution | | | |
| Up to 4K@60Hz | | | |
| Audio | | | |
| Codec | 2-Ch LPCM / AC3 / DTS | | |
| Sample Rate | 32-192kHz | | |