

GFR204SD

SD/MicroSD/MMC Card Reader/Writer



Secure Digital cards are ubiquitous in consumer electronic devices and have become the dominant means of storing several gigabytes of data in a small form factor. This new device is extremely compact but big on compatibility within the SD memory card family. The unit supports the very latest in memory card format, SDXC (Secure Digital Extended Capacity).

The SD/MicroSD/MMC Card Reader/Writer is a solution for hi-speed, bi-directional image and data transfer. Images and data can be transferred quickly from Secure Digital Card (SD), MultiMedia Card (MMC), or MicroSD memory cards to PCs or Macs. This is particularly useful in many applications, including digital cameras, video cameras, mobile phones, MP3, and other mobile devices. This item is an ideal way to bridge the gap between your desktop computer and other CE products.

Just plug the product into your computer's USB 1.1 or 2.0 port and you are ready to go!

- Supports memory card types including SD / MMC
- Support up to 2TB SDXC memory card
- USB 2.0 High Speed data transfer rate up to 480Mbps
- USB powered – NO external A/C adapter required


- SD
- SDHC
- SDXC
- MicroSD
- MicroSDHC
- MMC II
- RS MMC
- Ultra II SD
- Extreme SD
- Extreme III SD

Cards Supported:



How does it work?

- Insert SD/micro SD/MCC card into the card reader/writer
- Plug the card reader/writer into PC/Mac to transfer files and multimedia contents



Requirements

- For PC Users
- Windows XP, Windows Vista, Windows 7, Windows 8/8.1, 10
 - Available USB 2.0 port
 - Chrome Book
 - Linux®, Unix and other USB supported systems*
- *Additional drivers and support may be needed

- For MAC Users
- Mac 8.6 or greater.
- Requires OS X for USB 2.0 support
- Available USB 2.0 port

* Windows XP® systems require [this Microsoft update](#) to support SDXC cards

Package Contents

- 1 x Card Reader/Writer
- 1 x Quick Start Guide
- 1 x Warranty Card

Supply of this implementation of TPL's CORE Flash technology does not convey a license nor imply a right under any patent, or any other industrial or intellectual property right of TPL, to use this implementation in any finished end-user or ready-to-use final product. You are hereby notified that a license for such use is required from TPL. Contact:

"coreflash@alliacense.com"

Specifications

Function	GFR204SD
Housing	
Case	Plastic
LEDs	
On Line	1
Ports	USB 2.0 Connection (Type A)
Operating Temperature	32~ + 122 F (0 ~ + 50 C)
Storage Temperature	-13 ~ + 140 F (-25 ~ + 60 C)
USB Specification	USB 1.1 and 2.0 compliant
Power Connections	Bus powered
Capacity	Supports memory cards up to 512GB

Dimensions	GFR204SD
------------	----------

POP Information

10" Peg Hook	16
6" Peg Hook	10

Unit Dimensions

Width	0.625 in.
Height	0.3125 in.
Length	2.375 in.

Inner Pack

Width	6.8 in
Height	5.15 in
Length	3 in
Inner Pack Qty.	6

Unit Package Dimensions

Width	0.6875 in
Height	6.5 in
Length	4.625 in

Master Carton

Width	14.2 in
Height	6 in
Depth	12.6 in
Master Carton Qty.	48

Weight

Master Carton Wt.	6.82 lb
Inner Pack Wt.	0.68 lb
Unit Pack Wt.	0.08 lb
Unit Wt.	0.02 lb