

GFR204SDP

# SD / MMC / MicroSD Card Reader / Writer



IOGEAR is proud to announce a fund-raising initiative benefiting Susan G. Komen for the Cure®, the world's largest grassroots network of breast cancer survivors and activists dedicated to taking global action against breast cancer through research, community health programs and advocacy.

The SD / MicroSD / MMC Card Reader / Writer also sports an eye-catching pink finish with the Komen "Running Ribbon" prominently displayed. IOGEAR choose this particular card reader because the price is low enough for almost anyone to show support and because so many devices rely on memory cards, it has instant mass appeal

Secure Digital cards are ubiquitous in consumer electronic devices and have become the dominant means of storing several gigabytes of data in a small form factor. This new device is extremely compact but big on compatibility within the SD memory card family. The unit supports the very latest in memory card format, SDXC (Secure Digital Extended Capacity).

- Stylish pink design with Susan G. Komen "Running Ribbon"
- Supports memory card types including SD / MMC
- Supports for SDXC cards
- USB 2.0 Highspeed data transfer rate up to 480Mb/sec
- Bus powered No external AC adapter required

Clear protective removable cap

#### **Card Supports:**

- SD
- SDHC
- SDXC
- MicroSD
- MicroSDHC
- MMC II
- RS MMC
- Ultra II SDExtreme SD
- Extreme III SD









# Showileeobwoll Insert SD/micro SD/MCC card into the card reader/writer Plug the card reader/writer into PC/Mac to transfer files and multimedia contents

#### Requirements

- Windows XP®, Windows Vista®, Windows 7®, Windows® 8, Windows® 8.1
- later
- Available USB port Speed mode)

SDXC uses exFAT file system. The SDXC driver is available on Microsoft Windows 7, Windows Vista SP1 or later, and Windows XP SP2 or later with exFAT file system update (KB955704) from the Microsoft Download Center. Mac does not support or recognize the exFAT file system.

### **Package Contents**

- 1 x Card Reader / Writer • 1 x Quick Start Guide

  - 1 x Warranty Card

• Mac OS X v10.3.9 or Supply of this implementation of TPL's CORE Flash technology does not convey (USB 2.0 port for Hi- a license nor imply a right under any patent, or any other industrial or intellectual property right of TPL, to use this implementation in any finished end-user or ready-touse final product. You are hereby notified that a license for such use is required from TPL. Contact: "coreflash@alliacense.com"



## **Specifications**

Function	GFR204SDP	Dimensions	GFR204SDP
Housing		POP Information	
Case	Plastic	10" Peg Hook	16
LEDs		6" Peg Hook	10
On Line	1	Unit Dimensions	
Ports	USB 2.0 Connection (Type A)	Width	0.625 in
Operating Temperature	32~ + 122 F (0 ~ + 50 C)	Height	0.3125 in.
Storage Temperature	-13 ~ + 140 F (-25 ~ + 60 C)	Length	2.375 in.
USB Specification	USB 1.1 and 2.0 compliant	Inner Pack	
Power Connections	Bus powered	Width	6.8 in
Capacity	Supports memory cards up to 512GB	Height	5.15 in
		Depth	3 in
		Inner Pack Qty.	6
		Unit Package Dimensions	
		Width	0.6875 in
		Height	6.5 in
		Length	4.625 in
		Master Carton	
		Width	14.2 in
		Height	6 in
		Depth	12.6 in
		Master Carton Qty.	48
		Weight	
		Master Carton Wt.	6.82 lb
		Inner Pack Wt.	0.68 lb
		Unit Pack Wt.	0.08 lb
		Unit Wt.	0.02 lb