

GFR209

12-in-1 Pocket Card Reader/Writer



IOGEAR's 12-in-1 Pocket Card Reader / Writer is an ideal solution for hi-speed, bi-directional image and data file transfer between your computer and multimedia devices. Images and data can be downloaded directly to your PC or Mac from your memory cards without using additional adapters. It works with 12 popular memory card formats such as SD, SDXC, microSD, microSDXC, Mini SD, MMC, Memory Stick, and MS Duo. With direct USB 2.0 high-speed file transfer (up to 480Mbps) from memory cards used in your cell phone, MP3 player, or digital camera, you can save time and conserve power on devices. It instantly transfers your slotMusic™ songs to your PC or Mac. No matter where you go, IOGEAR's 12-in-1 Pocket Card Reader / Writer helps you to easily bring your digital images and data with you.

3-Slot,(Max) Support memory card

- SDHC (32GB) / Mini SDHC (4GB) / SDXC (64GB) / MMC(4GB)
- Micro SDXC (64GB) / M2 (16GB / need adapter)
- MS (16GB)
- Compliant with USB 2.0 specification
- Supports SDXC (Secure Digital High Capacity) and microSDXC cards up to 64GB
- Fast data transfer - up to 480 Mbps, between your cell phone / smartphone / PDA and computers
- Backward compatible with USB 1.1 specification
- Plug-n-Play, Hot swappable, and Hot pluggable
- Reads / Writes microSD / microSDXC / T-Flash, SD/SDXC, mini SD, MMC, MMC Plus, RS-MMC, MMC Mobile, MS, MS Pro, MS Duo, MS Pro Duo



Requirements

Package Contents

For PC Users

- Windows XP, Windows Vista, Windows 7, Windows 8/8.1, 10
- Available USB 2.0 port
- Chrome Book
- Linux®, Unix and other USB supported systems*

*Additional drivers and support may be needed

For MAC Users

- Mac 8.6 or greater. Requires OS X for USB 2.0 support
- Available USB 2.0 port

* Windows XP® systems require [this Microsoft update](#) to support SDXC cards

- 1 x Card Reader/Writer
- 1 x Quick Start Guide

Specifications

Function	GFR209
Cable Length	3 in.
Cable Type	USB Type A
Operating System Support	Windows XP, Vista / Mac OS X v10.3.9 or later
USB Specification	USB 2.0 (Backward compatible to USB 1.1)
Flash Memory	SDHC / Micro SD / Mini SD / MS / MS Pro / MS Duo / MS Pro Duo / SD / MMC / RS-MMC
Operating Temperature	327°F ~ 140°F (0°C ~ 60°C)
Storage Temperature	-4°F ~ 140°F (-2°C ~ 60°C)

Dimensions	GFR209
POP Information	
10" Peg Hook	12
6" Peg Hook	9
Unit Dimensions	
Height	0.625 in.
Length	2.5 in.
Depth	0.875 in.
Inner Pack	
Height	7 in.
Length	5 in.
Width	5 in.
Inner Pack Qty.	6
Unit Package Dimensions	
Height	6.375 in
Length	4.5 in.
Depth	1 in
Master Carton	
Height	15.75 in.
Width	11 in.
Depth	11 in.
Master Carton Qty.	48
Weight	
Master Carton Wt.	8.6 lb.
Inner Pack Wt.	0.8 lb
Unit Pack Wt.	0.2 lb
Unit Wt.	0.15 lb