

GFR309

USB 3.0 Multi-Card Reader/Writer

USB's SuperSpeed transfer rate of up to 5Gbps is ideal for moving large files such as full-resolution photos, documents and videos between computers and mobile devices. The GFR309 is the perfect companion for smartphones, tablets, cameras, etc.



USB 3.0 Memory Card Reader

Today's high-capacity memory cards need a high-speed card reader to transfer data without tremendous wait times. To meet this need IOGEAR created the USB 3.0 Multi-Card Reader with three slots to work with the most popular memory card types- SD, microSD and Memory Stick. The GFR309 is compatible with all the current generations of these card formats including SD, SDXC, microSD, microSDXC, Mini SD, MMC, Memory Stick, and MS Duo.

Memory Card Reader for Smartphones, Tablets and Cameras

USB's SuperSpeed transfer rate of up to 5Gbps is ideal for moving large files such as full-resolution photos, documents and videos between computers and mobile devices. The GFR309 is the perfect companion for smartphones, tablets, cameras, etc.

- Supports: SD, miniSD*, microSD (128GB max for SDXC) / T-Flash, MMC, MMC Plus, RS-MMC, MMC Mobile (128GB max for MMC) / Memory Stick, MS Pro, MS Duo, MS Pro Duo, M2*, MS XC (2TB max for MS XC)
- SuperSpeed data transfer - up to 5Gbps
- Compliant with USB 3.0, 2.0 and 1.1 specification
- USB powered – no external AC adapter required

*Requires card adapter




How does it work?

■ Plug the GFR309 to a USB port

■ Insert memory cards to GFR309

■ Transfer files, images, and music at speeds of up to 5Gbps



Requirements

- Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1, Windows® 10, Windows® 11
- Mac OS X 10+ (SDXC cards require OS X 10.6.5+)
- USB port

Package Contents

- 1 x GFR309
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

Function	GFR309
Cable Length	4"
Cable Type	USB Type A
Operating System Support	Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1, Mac OS X v10+
USB Specification	USB 3.0, 2.0, 1.1
Flash Memory	SD/SDHC/SDXC (128GB), miniSD/SDHC/SDXC (128GB), microSD/SDHC/SDXC (128GB), T-flash, MMC (128GB), MMC Plus (128GB), RS-MMC (128GB), MMC Mobile (128GB), MS (128MB), MS Pro (32GB), MS Duo (128MB), MS Pro Duo (32GB)
Operating Temperature	32F - 131F (0C - 55C)
Storage Temperature	-4F - 158F (-20C - 70C)
Power Supply	Bus Power
Data Rate	Up to 5Gbps

Dimensions	GFR309
POP Information	
10" Peg Hook	8
6" Peg Hook	5
Unit Dimensions	
Height	0.88" (2.24cm)
Length	8" (20.4cm)
Depth	0.56" (1.42cm)
Inner Pack	
Height	4.1" (10.5cm)
Length	8.46" (21.5cm)
Width	11.4" (29cm)
Inner Pack Qty.	12
Unit Package Dimensions	
Height	6.6" (16.8cm)
Length	3.38" (8.5cm)
Depth	1.19" (3cm)
Master Carton	
Height	9.06" (23cm)
Width	12" (30.5cm)
Depth	9.06" (23cm)
Master Carton Qty.	24
Weight	
Master Carton Wt.	4.25lb (1.93kg)
Inner Pack Wt.	1.8lb (0.82kg)
Unit Pack Wt.	0.12lb (0.054kg)
Unit Wt.	0.055lb (0.025kg)