

GHDC1402P

## 6.5ft (2m) High Speed HDMI® Cable with Ethernet



IOGEAR's 6.5ft High Speed HDMI® Cable with Ethernet provides both high-definition video and multi-channel audio connection between any digital HDTV / displays and digital source devices such as DVD players, DVRs, digital set-top boxes (cable / satellite), A/V receivers, game consoles and many more.

Engineered to deliver the best in class digital video and audio connectivity.

Ideal Solution for...

- HDTVs, Plasma displays, and projectors
- Blu-ray / DVD players
- DVR / Set top boxes from cable and satellite providers
- PLAYSTATION® 3, Microsoft® Xbox
- Home computers, media servers, and home theater PC's
- A/V receivers and many more...

- High Speed HDMI® Cable
- Supports Full HD 1080p and Ultra High Definition 4K (2160p) resolutions
- HDCP Compliant
- Supports 3D
- HDMI Ethernet Channel (HEC)
- Audio Return Channel (ARC)

- Supports 7.1 lossless digital surround sound to get a immersed experience
- High-density Triple-shielding for maximum suppression of RFI and EMI
- Gold-plated connectors for optimal signal transfer and corrosion resistance



### HDMI Cable Construction



**High-Purity Multi-stranded Copper Conductors**

Provide optimum signal and minimize resistance with integrity

**Dielectric Shield**

Maximize signal and minimize attenuation

**Triple-layer Shield**

Copper braid shield and aluminum Mylar foil shield provide you double strength against outside noise; Twisted-pair design to minimize internal interference between different impedance's signals

**Protective Jacket**

Provide you toughness for ideal installation need

**Nylon Protective Sleeve**

Minimize strain and provide slip-free grip on cable during installation

### Requirements

#### Display

- 1 HDMI or DVI-D input\*

#### Media Source

- 1 HDMI or DVI-D output\*

\*To connect to a DVI computer or monitor please use the GHDFDVIMW6 / GHDMDVIF adapter, available at [www.iogear.com](http://www.iogear.com)

### Package Contents

1 x 6.5ft (2m) High Speed HDMI® Cable with Ethernet

# Specifications

Function	GHDC1402P	Dimensions	GHDC1402P
		<b>POP Information</b>	
		10" Peg Hook	3
		6" Peg Hook	2
		<b>Unit Dimensions</b>	
		Length	6.5ft (2m)
		<b>Inner Pack</b>	
		Height	6.5in.
		Length	7.25in.
		Width	22in.
		Inner Pack Qty.	25
		<b>Unit Package Dimensions</b>	
		Height	8.5in.
		Width	6.6in.
		Depth	0.75in.
		<b>Master Carton</b>	
		Height	13.5in.
		Width	22.75in.
		Depth	15in.
		Master Carton Qty.	100
		<b>Weight</b>	
		Master Carton Wt.	28.7lb
		Inner Pack Wt.	6.6lb
		Unit Pack Wt.	0.25lb
		Unit Wt.	0.2lb