

GHDC1402P

6.5ft (2m) High Speed HDMI Cable with Ethernet



IOGEAR's 6.5ft High Speed HDMI® Cable with Ethernet provides both high-definition video and multi-channel audio connection between any digital HDTV / displays and digital source devices such as DVD players, DVRs, digital set-top boxes (cable / satellite), A/V receivers, game consoles and many more.

Engineered to deliver the best in class digital video and audio connectivity.

Ideal Solution for...


- HDTVs, Plasma displays, and projectors
- Blu-ray / DVD players
- DVR / Set top boxes from cable and satellite providers
- PLAYSTATION® 3, Microsoft® Xbox
- Home computers, media servers, and home theater PC's
- A/V receivers and many more...

- High Speed HDMI® Cable
- Supports Full HD 1080p and Ultra High Definition 4K (2160p) resolutions
- HDCP Compliant
- Supports 3D
- HDMI Ethernet Channel (HEC)
- Audio Return Channel (ARC)

- Supports 7.1 lossless digital surround sound to get a immersed experience
- High-density Triple-shielding for maximum suppression of RFI and EMI
- Gold-plated connectors for optimal signal transfer and corrosion resistance



HDMI Cable Construction



Requirements

Package Contents

Display

- 1 HDMI or DVI-D input*

Media Source

- 1 HDMI or DVI-D output*

*To connect to a DVI computer or monitor please use the GHDFDVIMW6 / GHDM DVIF adapter, available at www.iogear.com

Specifications

Function	GHDC1402P	Dimensions	GHDC1402P
		POP Information	
		10" Peg Hook	3
		6" Peg Hook	2
		Unit Dimensions	
		Length	6.5ft (2m)
		Inner Pack	
		Width	22in.
		Height	6.5in.
		Depth	7.25in.
		Inner Pack Qty.	25
		Unit Package Dimensions	
		Width	6.6in.
		Height	8.5in.
		Depth	0.75in.
		Master Carton	
		Width	22.75in.
		Height	13.5in.
		Depth	15in.
		Master Carton Qty.	100
		Weight	
		Master Carton Wt.	28.7lb
		Inner Pack Wt.	6.6lb
		Unit Pack Wt.	0.25lb
		Unit Wt.	0.2lb