

GHDC1403P

9.8ft (3m) High Speed HDMI Cable with Ethernet

IOGEAR's 9.8ft High Speed HDMI® Cable with Ethernet provides both high-definition video and multi-channel audio connection between any digital HDTV / displays and digital source devices such as DVD players, DVRs, digital set-top boxes (cable / satellite), A/V receivers, game consoles and many more.

Engineered to deliver the best in class digital video and audio connectivity.

- HDMI HIGH SPEED (10.2Gbps)
- Full HD 1080p
- 3D
- HDMI Ethernet Channel (HEC)
- Audio Return Channel (ARC)
- HDMI Certified & HDCP Compliant
- · Gas Injected Dielectric process for optimum signal strength
- · High-density Triple-shielding for maximum rejection of RFI and EMI
- · Gold-plated connectors for optimal signal transfer and corrosion resistance
- High Speed HDMI® Cable
- Supports Full HD 1080p and Ultra High Definition 4K (2160p) resolutions
- HDCP Compliant
- Supports 3D
- HDMI Ethernet Channel (HEC)
- Audio Return Channel (ARC)





- Supports 7.1 lossless digital surround sound to get a immersed experience
- High-density Triple-shielding for maximum suppression of RFI and EMI
- Gold-plated connectors for optimal signal transfer and corrosion resistance



HDMI Cable Construction



Requirements

Package Contents

1 x 9.8ft (3m) High Speed HDMI® Cable with Ethernet

- Display
 - 1 HDMI or DVI-D input*

Media Source

 1 HDMI or DVI-D output*

*To connect to a DVI computer or monitor please use the GHDFDVIMW6 / GHDMDVIF adapter, available at <u>www.iogear.com</u>



Specifications

Function	GHDC1403P	Dimensions	GHDC1403P
		POP Information	
		10" Peg Hook	3
		6" Peg Hook	2
		Unit Dimensions	
		Length	9.8ft (3m)
		Inner Pack	
		Width	29.75in
		Height	6.4in
		Length	7.3in
		Inner Pack Qty.	25
		Unit Package Dimensions	
		Width	6.6in.
		Height	10in.
		Depth	1in.
		Master Carton	
		Width	30.75in.
		Height	13.3in.
		Depth	15.3in.
		Master Carton Qty.	100
		Weight	
		Master Carton Wt.	37.35lb
		Inner Pack Wt.	8.65lbs.
		Unit Pack Wt.	0.3lb
		Unit Wt.	0.25lb