GHDMDPF

HDMI® (M) to DisplayPort (F) Adapter; 4K @30Hz

HDMI to Display Port Adapter

Stream high-definition audio and video from your source such as a PC, Blu-ray player or satellite box to your TV or projector.

4K Ultra High Definition Video Resolution

The HDMI to DispalyPort Adapter supports the 1.2 DP standard for Ultra High Definition video playback at a maximum resolution of 3840 x 2160.

Plug-N-Play

The user friendly adapter requires no installation software and is completely Plug-N-Play.

Note: This product is not bi-directional and will require a different adapter, part # GDPHD4KA,if you want to connect a DisplayPort video source to an HDMI TV or projector.

- Connect any HDMI video source to a DisplayPort monitor using your existing cable
- Connect your DisplayPort monitor from your HDMI-equipped laptop, desktop or Blu-ray player

- USB powered with USB cable extender, offering the perfect solution for professionals on the go
- 4K Ultra HD resolutions up to 3840 x 2160 @30Hz
- USB cable included for powering up adapter
- Plug-n-Play - no drivers or software required

Requirements

- HDMI output port from source
- USB-A power source port
- DisplayPort input port from display

Package Contents

1 x HDMI to DisplayPort Adapter

1 x USB-A to USB-A Extender

Specifications

Function	GHDMDPF
Video connections	
Input	HDCP compatible
Output	DisplayPort 1.2
Video Resolution	4K x 2K @ 30Hz, 1920 x 1080 @ 120Hz
Environment	
Operation Temperature	0° - 60°C
Storage Temperature	-10°C - 80°C
Power Consumption	<500 mA

Dimensions	GHDMDPF
POP Information	
10" Peg Hook	19
Unit Dimensions	
Height	0.75"
Length	9.50"
Depth	0.50"
Inner Pack	
Height	4.33" (11cm)
Length	8.66" (22cm)
Width	9.44" (24cm)
Inner Pack Qty.	12
Unit Package Dimensions	
Height	3.875"
Width	0.50"
Depth	7.50"
Master Carton	
Height	9.45" (24cm)
Width	18.11" (46cm)
Depth	10.23" (26cm)
Master Carton Qty.	48
Weight	
Master Carton Wt.	9.92 lb
Unit Pack Wt.	0.15lb
Unit Wt.	0.15lb