

GHDMIAS4

# 4-Port HDMI Automatic Switch with Remote and HDMI Cable




- TRUE Automatic Switching
  - Automatically switches to active device; hence, can seamlessly integrate into a home entertainment center controlled by an Universal Remote.
  - Eliminates need for a separate remote
- Designed to be Displayed in Your Living Room
  - Sleek and compact form factor
- Highest Video Quality
  - 1080p resolution
  - 2.25Gbps bandwidth for higher resolution and color depth video
- Optimized to Ensure Maximum Signal Transfer and Corrosion Resistance
  - Gold-Plated HDMI Connections
- HDMI 1.3b certified & HDCP Compliant
- Supports DVI devices with an adapter
- Ready to Go
  - Includes a 6ft HDMI cable
  - Quick and Simple Installation



**How does it work?**

IOGEAR's unique High-Definition Automatic Switch (HDAS) will automatically sense the audio/video information coming into the HDMI Ports and automatically switch to the correct / active port allowing a seamless and user friendly switch. IOGEAR's automatic HDMI switch is great for all your HD device's such as your Blu-ray / DVD players, game consoles, set-top boxes (cable / satellite), and more!



**Requirements**

- HDTV or computer monitors with HDMI connections
- HD digital media devices with HDMI connections such as DVD players, video game consoles, A/V receivers, media servers, computers, set top boxes and many more
- Backward compatible with DVI devices with a DVI (male) to HDMI (female) adapter

**Package Contents**

- 1x 4-Port HDMI Automatic Switch
- 1x Switch Remote
- 1x 6ft HDMI (Male-Male) Cable
- 1x Power Adapter
- 1x Quick Start Guide
- 1x Warranty / Registration Card

## Specifications

Function	GHDMIAS4	Dimensions	GHDMIAS4
<b>Power</b>		<b>Unit Dimensions</b>	
Voltage	6V	Width	6.4in(16.4cm)
Amps	0.15	Height	3.5in(8.8cm)
<b>Power Consumption</b>	DC 6V	Depth	0.9in(2.2cm)
<b>Operating Temperature</b>	32F~122F (0C~50C)	<b>Inner Pack</b>	
<b>Storage Temperature</b>	-4F~140F (-20C~60C)	Width	17.6 in (44.6 cm)
<b>Operating System Support</b>	Consumer Electronics with HDMI Support	Height	16.2 in (41.0 cm)
<b>Humidity</b>	0 - 80% RH (Non Condensing)	Length	3.4 in (8.5 cm)
<b>Daisy Chain</b>	Dependance on Signal Strength and Cable Distance	Inner Pack Qty.	3
<b>Cable Connections</b>		<b>Unit Package Dimensions</b>	
Input	HDMI	Width	8.39in(21.3cm)
Output	HDMI	Height	7.8in(19.8cm)
<b>Signal Type</b>	HDMI Digital	Depth	2.9in(7.2cm)
<b>Connectors (Input)</b>	4 x HDMI Female	<b>Master Carton</b>	
<b>Connectors (Output)</b>	1 x HDMI Female	Width	18.0 in (45.8 cm)
<b>Video Performance</b>	1080p	Height	16.6 in (42.2 cm)
<b>Power Adapter</b>	Universal power adapter 100-240V~50/60Hz	Depth	11.0 in (28.0 cm)
		Master Carton Qty.	12
		<b>Weight</b>	
		Master Carton Wt.	20 lbs
		Inner Pack Wt.	5.7 lbs
		Unit Pack Wt.	1.2 lbs
		Unit Wt.	0.53 lbs