

GHDMIMS52

5x2 HDMI Splitter/Switcher with Remote



- Cross-switch 5 different HD media sources between 2 different HD TVs or displays
- HDCP compliant
- Dolby True HD and DTS Master Audio Support
- Full HD 1080p support
- Auto-adjust video resolution to fit your display*


- Zero signal loss from source to display
- Front panel 3 colors LEDs for easy monitoring
- Power LED and Active Port LED
- Plug-n-Play

*Note: For HD media sources that support auto video resolution scaling.
(Allow for best fit on each HDTV)



How does it work?

- Connect up to 5 HDMI source devices
- Cross-switch between 2 HD TVs or displays
- Connect to Home Theater System
- Switch between media sources via remote control



Requirements

Display

- 1 HDMI input

Media Source

- 1 HDMI output

Package Contents

- 1 x 5x2 HD Audio/Video Matrix Switch
- 1 x IR Remote Control
- 1 x Power Adapter
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

Function	GHDMIMS52
Connectors (Input)	5 x Female HDMI Type A 19 Pin
Connectors (Output)	2 x Female HDMI Type A 19 Pin
Cable Connections	
Input	Male HDMI Type A 19 Pin
Output	Male HDMI Type A 19 Pin
LEDs	
AC Power Outlet	1
Port ID	5 x Input; 2 x Output
Data Rate	Up to 2.25Gbps
Video Resolution	480i/480p/720p/1080i/1080p; VGA/SVGA/XGA/SXGA/UXGA
Power Consumption	10 Watts (max)
Power	
Voltage	5V
Amps	2A
Power Adapter	Universal power adapter 100-240V~50/60Hz
Environment	
Storage Temperature	-20°C~60°C
Operation Temperature	0°C~50°C
Humidity	0 - 80% RH (Non Condensing)
Housing	
Case	Plastic

Dimensions	GHDMIMS52
POP Information	
10" Peg Hook	3
6" Peg Hook	2
Unit Dimensions	
Width	8in.
Height	0.875in.
Depth	3.75in.
Inner Pack	
Width	10.5in.
Height	5.875in.
Depth	10.5in.
Inner Pack Qty.	3
Unit Package Dimensions	
Width	5in.
Height	10.75in.
Depth	3.375in.
Master Carton	
Width	12.5in.
Height	11.5in.
Depth	21in.
Master Carton Qty.	12
Weight	
Master Carton Wt.	19.82lb
Inner Pack Wt.	4.48lb
Unit Pack Wt.	1.36lb
Unit Wt. w/accessories	0.86lb
Unit Wt.	0.6lb