

GHDMIS4

## 4-Port HD Audio/Video Switch with Remote



Provide additional HDMI connections to your HDTV for the Ultimate Viewing Experience Take your HDTV to the next level with HDMI technology, the new connectivity standard in digital consumer electronics. Delivering the most vivid and richest viewing experience available today, High Definition Multimedia Interface (HDMI) technology is the latest digital interface that provides HD video and multi-channel audio through a single cable. IOGEAR's HDMI Switch enables you to connect multiple HD source devices to your HDTV for your viewing pleasure. It is an ideal solution for connecting multiple HD media devices such as...

- Video game consoles
- Media PCs and computers
- Set top boxes from cable and satellite providers
- DVRs, Blu-Ray / DVD players, AV receivers and and more!

Switching between Media Sources Select and view the desired source device just by a switch of the remote or a push of the front-panel pushbutton.

Provides User-Friendly Convenience No need to mess around with the TV's AV input selections. The switch eliminates the hassle of figuring out the correct AV input for the desired device.

- 4 HDMI inputs and 1 HDMI output
- HDMI v1.3b certified and HDCP compliant
- Superior resolution
  - HDTV: maintains 480p, 720p, 1080i, and 1080p resolution
  - PC Support: VGA, SVGA, XGA, SXGA, UXGA (1600 x 1200), and WQXGA (2560 x 1536)
- Switching port via remote control or front-panel pushbutton
- IR sensor up to 22.96 feet (7M)
- Front-panel LED for port and power status
- Backwards compatible with DVI devices with a DVI (male) to HDMI (female) adapter (IOGEAR HDMI/DVI adapter model #GHDMIFDVIMW6).



Requirements	Package Contents
Display <ul style="list-style-type: none"><li>• 1 HDMI input</li></ul>	<ul style="list-style-type: none"><li>• 1 x 4-Port HD Audio/Video Switch</li><li>• 1 x Remote Control</li><li>• 1 x Full Range Power Adapter</li><li>• 1 x US Prong</li><li>• 1 x German Prong</li><li>• 1 x Quick Start Guide</li><li>• 1 x Warranty Card</li></ul>
Media Source <ul style="list-style-type: none"><li>• 1 HDMI output</li></ul>	

## Specifications

Function	GHDMIS4
<b>Power</b>	
Voltage	DC 6V
Amps	1A
<b>Video Resolution</b>	480p, 720p, 1080i, 1080p; 1920x1200
<b>Video connections</b>	
Input	HDMI
Output	HDMI
<b>Connectors</b>	
Video Input	4 x HDMI Type A 19 Pin Female
Video Output	1 x HDMI Type A 19 Pin Female
<b>LEDs</b>	
On Line	4
Power On	1
<b>Computer Connections</b>	
Daisy Chain or Cascading	Dependence on Signal Strength and Cable Distance
<b>Environment</b>	
Humidity	0-80% RH (Non Condensing)
Operation Temperature	32F~122F (0C~50C)
Storage Temperature	-4F~140F (-20C~60C)
<b>Power Consumption</b>	3watts (max)
<b>Power Adapter</b>	Universal Power Adapter 100~240 (50/60Hz)

Dimensions	GHDMIS4
<b>POP Information</b>	
10" Peg Hook	3
6" Peg Hook	2
<b>Unit Dimensions</b>	
Height	1in.
Depth	3.5in.
Width	6.5in.
<b>Inner Pack</b>	
Height	8.5in.
Length	13.75in.
Width	12.25in.
Inner Pack Qty.	6
<b>Unit Package Dimensions</b>	
Height	12in.
Width	8in.
Depth	3.25in.
<b>Master Carton</b>	
Height	17.25in.
Width	13in.
Depth	14.75in.
Master Carton Qty.	12
<b>Weight</b>	
Master Carton Wt.	13.28lb
Inner Pack Wt.	5.6lb
Unit Pack Wt.	0.82lb
Unit Wt. w/accessories	0.5lb
Unit Wt.	0.28lb