

GHDMS52

5x2 HD Audio/Video Switch with Remote



Provide additional HDMI connections and Cross-Switch between 2 HDTVs for the Ultimate Viewing Experience

IOGEAR's 5x2 HD Switch enables you to connect 5 HDMI source devices and share them between 2 of your HDTVs for the ultimate viewing experience. It is an ideal solution for connecting multiple HD media devices such as...

- DVRs, Blu-ray / DVD players
- · Video game consoles
- · Media PCs and computers
- · Set top boxes from cable and satellite providers
- AV receivers and more!

Switching between Media Sources Select and view the desired source device just by a switch of the remote.

- Connect and cross-switch between 5 HDMI media sources between 2 different HD TVs or displays
- HDCP compliant
- · Dolby True HD and DTS Master Audio Support
- Full HD 1080p support
- · Auto-adjust video resolution to fit your display*

- · Zero signal loss from source to display
- Front panel 3 colors LEDs for easy monitoring
- Power LED and Active Port LED
- Plug-n-Play


*Note: For HD media sources that support auto video resolution scaling. (Allow for best fit on each HDTV)











Requirements	Package Contents
Media Source	1 x 5x2 HD Audio/Video Switch
• 1 x HD output	1 x IR Remote Control 1 x Power Adapter
Display	1 x Quick Start Guide 1 x Warranty Card
1 x HD input	



Specifications

Function	GHDMS52	Dimensions	GHDMS52
Connectors (Input)	5 x Female HDMI Type A 19 Pin	POP Information	
Connectors (Output)	2 x Female HDMI Type A 19 Pin	10" Peg Hook	3
Cable Connections		6" Peg Hook	2
Input	Male HDMI Type A 19 Pin	Unit Dimensions	
Output	Male HDMI Type A 19 Pin	Width	8in.
LEDs		Height	0.875in.
AC Power Outlet	1	Depth	3.75in.
Port ID	5 x Input; 2 x Output	Inner Pack	
Data Rate	Up to 2.25Gbps	Width	10.5in.
Video Resolution	480i/480p/720p/1080i/1080p; VGA/SVGA/XGA/SXGA/UXGA	Height	5.875in.
Power Consumption	10 Watts (max)	Depth	10.5in.
Power	To Traile (max)	Inner Pack Qty.	3
Voltage	5V	Unit Package Dimensions	
Amps	2A	Width	5in.
Power Adapter	Universal power adapter 100-240V~50/60Hz	Height	10.75in.
Environment		Depth	3.375in.
Storage Temperature	-20°C~60°C	Master Carton	
Operation Temperature	0°C~50°C	Width	12.5in.
Humidity	0 - 80% RH (Non Condensing)	Height	11.5in.
Housing	,	Depth	21in.
Case	Plastic	Master Carton Qty.	12
		Weight	
		Master Carton Wt.	19.82lb
		Inner Pack Wt.	4.48lb
		Unit Pack Wt.	1.36lb
		Unit Wt. w/accessories	0.86lb
		Unit Wt.	0.6lb