**IOGEAR®**

GHDSW3KIT2

# 3-Port HD Switch with Remote and Cable

## Provide additional HD connections to your HDTV for the Ultimate Viewing Experience

IOGEAR's 3-Port HD Switch enables you to connect additional HD source devices to your HDTV for your viewing pleasure. It is an ideal solution for connecting multiple HD media devices such as...

- Set top boxes / DVR's from cable and satellite providers
- Blu-ray / DVD players
- Video game consoles
- Media PCs and computers

- 3 x HD inputs and 1 x HD output
- Works with Blu-ray / DVD players, DVR players, video game consoles, media servers, computers, set top boxes and many more
- Superior Resolution
  - HDTV: 480p, 720p, 1080i, and 1080p resolution
  - PC Support: VGA, SVGA, XGA, SXGA, WUXGA, 1920x1080
- HDCP Compliant
- Switch between devices via front-panel pushbutton or IR remote

- Front-panel LED for port and power status
- Backwards compatible with DVI devices with HD to DVI adapter*
- No power adapter required**

*To connect to a DVI device please use the GHDFDVIMW6 / GHDMDVIF adapter, available at www.iogear.com
** Power adapter may require for some source devices that do not deliver enough power through HD cable

**How does it work?**
- Connect up to 3 HDMI devices
- Connect to your HD TV or display
- Enjoy your favorite HD movies, game consoles, satellite TV shows and more!

| Requirements | Package Contents |
|---|---|
| Display | 1 x 3-Port HDMI Switcher |
|  | 1 x 3m High Speed HDMI Cable |
| • 1 HDMI input | 1 x Remote Control |
| Media Source | 1 x Quick Start Guide |
|  | 1 x Warranty Card |
| • 1 HDMI output | |

## Specifications

| Function | GHDSW3KIT2 |
|---|---|
| **Video connections** | |
| Input | 3 x Female HDMI Type A 19 Pin |
| Output | 1 x Female HDMI Type A 19 Pin |
| **Connectors** | |
| Video Input | Female HDMI Type A 19 Pin |
| Video Output | Female HDMI Type A 19 Pin |
| **LEDs** | |
| Input | 3 |
| Power On | 1 |
| **Video Resolution** | 480i, 480p, 720p, 1080i, 1080p |
| **Data Rate** | Up to 2.25Gbps |
| **Environment** | |
| Operation Temperature | 0~50C |
| Storage Temperature | -20C~60C |
| Humidity | 0-80% RH (Non Condensing) |
| **Power Consumption** | 3 Watts (max) |
| **Power Adapter** | Not Required |
| **Power** | |
| Voltage | DC 5V |
| Amps | 1A |
| **Housing** | |
| Case | Plastic |

| Dimensions | GHDSW3KIT2 |
|---|---|
| **Unit Dimensions** | |
| Width | 3.75in. |
| Height | 0.875in. |
| Depth | 2in. |
| **Unit Package Dimensions** | |
| Width | 7.25in. |
| Height | 4.5in. |
| Depth | 10.25in. |
| **Weight** | |
| Unit Pack Wt. | 0.95lb |
| Unit Wt. w/accessories | 0.48lb |
| Unit Wt. | 0.12lb |