

GHDSW4

4-Port HDMI Switcher with Remote, 4 HDMI Inputs - 1 HDMI Output



Provide additional HDMI® connections to your HDTV for the Ultimate Viewing Experience

IOGEAR's HDMI Switch enables you to connect multiple HD source devices to your HDTV for your viewing pleasure. It is an ideal solution for connecting multiple HD media devices such as...

- DVRs / Set top boxes from cable and satellite providers
- Blu-Ray / DVD players
- · Video game consoles
- · Media PCs and computers
- AV receivers and and more!

Switching between Media Sources Select and view the desired source device just by a switch of the remote or a push of the front-panel pushbutton.

- 4 HDMI inputs and 1 HDMI output
- HDMI® Certified and HDCP compliant
- Superior Resolution
 - o HDTV: maintains 480p, 720p, 1080i, and 1080p resolution
- Switching port via remote control or front-panel pushbutton
- Includes IR Remote
- Front-panel LED for port and power status
- Backwards compatible with DVI devices with a DVI (male) to HDMI (female) adapter (IOGEAR HD / DVI adapter model #GHDFDVIMW6).











Requirements

Display

• 1 HDMI® input

Media Source

• 1 HDMI® output

Package Contents

- 1 x 4-Port HD Audio/Video Switch
- 1 x Remote Control
- 1 x Full Range Power Adapter
- 1 x US Prong
- 1 x German Prong
- 1 x Quick Start Guide
- 1 x Warranty Card



Specifications

Function	GHDSW4	Dimensions	GHDSW4
Power		POP Information	
Voltage	DC 6V	10" Peg Hook	3
Amps	1A	6" Peg Hook	2
Video Resolution	480p, 720p, 1080i, 1080p; 1920x1200	Unit Dimensions	
Video connections		Width	6.5in.
Input	HDMI	Height	1in.
Output	HDMI	Depth	3.5in.
Connectors		Inner Pack	
Video Input	4 x HDMI Type A 19 Pin Female	Width	12.25in.
Video Output	1 x HDMI Type A 19 Pin Female	Height	8.5in.
LEDs		Depth	13.75in.
On Line	4	Inner Pack Qty.	6
Power On	1	Unit Package Dimensions	
Computer Connections		Width	8in.
Daisy Chain or Cascading	Dependence on Signal Strength and Cable Distance	Height	12in.
Environment		Depth	3.25in.
Humidity	0-80% RH (Non Condensing)	Master Carton	
Operation Temperature	32F~122F (0C~50C)	Width	13in. (33.02 cm)
Storage Temperature	-4F~140F (-20C~60C)	Height	17.25in. (43.82 cm)
Power Consumption	3watts (max)	Depth	14.75in. (37.47 cm)
Power Adapter	Universal Power Adapter 100~240 (50/60Hz)	Master Carton Qty.	12
		Weight	
		Master Carton Wt.	13.28lb (6.02 kg)
		Inner Pack Wt.	5.6lb
		Unit Pack Wt.	0.82lb
		Unit Wt. w/accessories	0.5lb
		Unit Wt.	0.28lb