

GHDSW4KIT

4-Port Home Entertainment Starter Kit, 4 HDMI Inputs - 1 HDMI Output



Provide additional HDMI® connections to your HDTV for the Ultimate Viewing Experience

IOGEAR's HDMI Switch Kit includes 5 HDMI High Speed cables which enables you to connect multiple HD source devices to your HDTV for your viewing pleasure. It's an ideal solution for connecting multiple HD media devices such as:

- DVRs / Set-top boxes from cable and satellite providers
- Blu-Ray / DVD players
- Video game consoles
- · Media PCs and computers
- A/V receivers and more

Switching between Media Sources

Select and view the desired source device just by a click of the remote or a push of the front-panel push-button.

- Switch between 4 HDMI® devices on 1 HDTV
- Works with DVR / Set-top boxes, Blu-ray / DVD players, video game consoles, media servers, computers, and many more
- Full 3D support
- Superior Resolution
 - $\circ\,$ HDTV: 480p, 720p, 1080i, and 1080p resolution
- Supports 12-bit Deep Color
- Supports Dolby® True HD and DTS® HD Master Audio

- Serial RS-232 bi-directional control port for high-end system control
- Front-panel pushbutton and IR remote for convenient switching
- Front-panel LED for port and power status
- HDCP compliant
- Backward compatible with DVI devices with HDMI to DVI adapter*

*Via HDMI (F) to DVI (M) Adapter - Part No. GHDFDVIMW6









1 x Warranty Card



Requirements	Package Contents
Display	1 x 4-Port HD
	Audio/Video Switch
 1 HDMI input 	3 x 6ft High Speed HDMI
	Cable
Media Sources	2 x 10ft High Speed HDMI
	Cable
 1 HDMI output 	1 x Remote Control
	1 x Power Adapter
	1 x Quick Start Guide



Specifications

Function	GHDSW4KIT
Video Resolution	480p, 720p, 1080i and 1080p; VGA, SVGA, XGA, SXGA and WUXGA
Video connections	
Input	HDMI Connection
Output	HDMI Connection
Data Rate	Up to 2.25Gbps
Connectors	
Video Input	4 x HDMI Type A 19 Pin Female
Video Output	1 x HDMI Type A 19 Pin Female
RS-232	1
Cable Type	High Speed HDMI Cable
Cable Length	3 x 6ft and 2 x 10ft
Power Adapter	DC5.3V 1A
Power	
Voltage	DC 5V
Amps	1A
Power Consumption	3 Watts (max)
LEDs	
Power On	1
Input	4
Environment	
Operation Temperature	32F~122F (0C~50C)
Storage Temperature	-4F~140F (-20C~60C)
Humidity	0-80% RH (Non Condensing)
Housing	
Case	Metal

Dimensions	GHDSW4KIT
Unit Dimensions	
Height	1"
Depth	3"
Width	8"
Unit Package Dimensions	
Height	6.5"
Width	10.25"
Depth	12.25"
Weight	
Unit Pack Wt.	4.0lb
Unit Wt.	1.05lb