

GHSP8424

## 4K Ultra HD 4-Port Splitter with HDMI Connectors



- Send audio & video from 1 HDMI source to 4 HDMI displays
- Cinema 4K resolutions up to 4096 x 2160 @ 60Hz, (4:2:0)
- Long distance connections to 49 ft. (24 AWG)
- Dolby True HD and DTS HD Master Audio
- Supports up to 10.2 Gbps data speeds for high performance video

### 4K HDMI Splitter - 4-Port Ultra High Definition (UHD)


Take high definition audio and video from a single HDMI source device and direct it to 4 separate UHD TVs, UHD displays or UHD projectors using IOGEAR's new 4K 4-Port Video Splitter. Our latest video splitter gives you the power to take any 4K Ultra High Definition or High Definition content from DVR / set-top boxes, game consoles, Blu-ray™ players, desktop computers, media servers and other standard HDMI devices and send it to 4 displays simultaneously while maintaining the highest levels of video and audio fidelity without signal loss. IOGEAR's 4K 4-Port Video Splitter is an ideal solution for multi-display applications in the home, office, classroom, digital signage, house of worship, sports bar or business setting.

### Highest Quality Video at Extended Distances

Deliver exceptional Cinema 4K resolutions (4096 x 2160 @ 60Hz) with crisp, 3D, and Deep Color images up to 4K 12-bit (4:2:0), or 68 billion colors, for a remarkable visual experience. The splitter extends the distance between your HDMI video sources and your HDMI displays up to 49 feet with data rates up to 10.2 Gbps, providing greater flexibility in system design.

- Send audio & video from 1 HDMI source to 4 HDMI displays
- Cinema 4K resolutions up to 4096 x 2160 @ 60Hz, (4:2:0)
- Long distance connections to 49 ft. (24 AWG)
- Dolby True HD and DTS HD Master Audio
- Supports up to 10.2 Gbps data speeds for high performance video
- Plug-n-play – No software installation required
- HDCP 1.4 compatible
- Rack Mountable
- All metal chassis





#### Requirements

- Video source with HDMI output
- Display with HDMI input

#### Package Contents

- 1 x GSP8424B 4-Port Splitter with HDMI Connectors
- 1 x Power Adapter
- 1 x HDMI Cable
- 1 x Mounting Kit
- 1 x Quick Install Guide

## Specifications

| Function                 | GHSP8424                   |
|--------------------------|----------------------------|
| <b>Video connections</b> |                            |
| Input                    | HDMI Type A Female         |
| Output                   | HDMI Type A Female         |
| <b>Video Resolution</b>  | 4096 x 2160 @ 60Hz         |
| <b>Video Streaming</b>   | Max Data Rate 10.2 Gbps    |
| <b>Power Consumption</b> | 6.02W                      |
| <b>Power Adapter</b>     | 5.3V/2.4A                  |
| <b>Environment</b>       |                            |
| Operation Temperature    | 32~122°F (0~50°C)          |
| Storage Temperature      | -4F ~ 140F (-20 - 60C)     |
| Humidity                 | 0 - 80% RH, Non-Condensing |
| <b>Warranty</b>          | 3 -Year                    |

| Dimensions                     | GHSP8424         |
|--------------------------------|------------------|
| <b>Unit Dimensions</b>         |                  |
| Height                         | 0.875" (2.2cm)   |
| Length                         | 4.875" (12.4cm)  |
| Depth                          | 2.06" (5.2cm)    |
| <b>Inner Pack</b>              |                  |
| Height                         | 7.25" (18.4cm)   |
| Length                         | 8.75" (22.2cm)   |
| Width                          | 4.75" (12.1cm)   |
| Inner Pack Qty.                | 3                |
| <b>Unit Package Dimensions</b> |                  |
| Height                         | 6.375" (16.2cm)  |
| Width                          | 4.375" (11.1cm)  |
| Depth                          | 2.625" (6.7cm)   |
| <b>Master Carton</b>           |                  |
| Height                         | 8" (20.3cm)      |
| Width                          | 10.25" (26.03cm) |
| Depth                          | 18" (45.7cm)     |
| Master Carton Qty.             | 12               |
| <b>Weight</b>                  |                  |
| Master Carton Wt.              | 10.2lb (4.64kg)  |
| Inner Pack Wt.                 | 2.35lb (1.08kg)  |
| Unit Pack Wt.                  | 0.7lb (0.32kg)   |
| Unit Wt.                       | 0.35lb (0.16kg)  |