

GPAC2U4

GearPower Dual USB 4.2A Car Charger



Dual USB output, dual 2.1A charging

The new GearPower Dual USB 4.2A Car Charger quickly charges even the most power demanding mobile devices, including the Apple iPad®! In fact, the Apple iPad® users can now charge on the road at the same speed as high-current (10W) wall chargers, plus charge a second device at the same time!

Optimized for iOS Devices

The GPAC2U4's USB charging outputs are configured to provide fast-charging with all current Apple products (charging cables sold separately), including all generations of iPad. While the GPAC2U4 will charge most USB devices, there are some products with proprietary charging configurations (such as certain models from BlackBerry, Samsung, etc.) which are not compatible with aftermarket chargers.

- Dual 2.1A (10W) USB outputs allow simultaneous charging of tablets and/or smartphones
- Compact design plugs into any 12 V vehicle lighter socket or power port
- Optimized for charging iPod® / iPhone® / iPad®- charges two iPads simultaneously
- Charges most USB compatible mobile devices, including MP3 players, etc.



How does it work?

Keep all of your mobile devices charged and ready to go while on the road with the GearPower Car Charger with Dual 2.1A USB outputs.

Plug-in the GearPower Dual USB Car Charger into any 12V power port or lighter socket, connect your USB charging cable, and rapidly charge two mobile devices, even two iPads at the same time!



Requirements

- Standard 12V lighter socket or 12V power port
- USB device
- USB charging cable for your USB device (not included)

Package Contents

- 1 x GPAC2U4 12V Car Charger
- 1 x Warranty Card

Specifications

| Function | GPAC2U4 | Dimensions | GPAC2U4 |
|---------------------------|------------------------|--------------------------------|----------------|
| Connectors | USB x 2 | POP Information | |
| LEDs | | 10" Peg Hook | 8 |
| Power On | Green | 6" Peg Hook | 5 |
| Power | | Unit Dimensions | |
| Amps | 4.2A Output (2.1A x 2) | Height | .6" (1.6cm) |
| Voltage | +5VDC Output (x2) | Depth | 1" (2.5cm) |
| Power Input Rating | | Length | 3.3" (8.3cm) |
| Unit Power | +12VDC | Inner Pack | |
| | | Width | 4" (10.2cm) |
| | | Height | 8" (20.3cm) |
| | | Depth | 8" (20.3cm) |
| | | Inner Pack Qty. | 6 |
| | | Unit Package Dimensions | |
| | | Width | 3.3" (8.4cm) |
| | | Height | 6.8" (17.5cm) |
| | | Depth | 1.3" (3.2cm) |
| | | Master Carton | |
| | | Width | 9" (22.9cm) |
| | | Height | 9" (22.9cm) |
| | | Depth | 17" (42.3cm) |
| | | Master Carton Qty. | 24 |
| | | Weight | |
| | | Master Carton Wt. | 4.95lb (2.2kg) |
| | | Inner Pack Wt. | 1.1lb (.48kg) |
| | | Unit Pack Wt. | .15lb (.06kg) |
| | | Unit Wt. | .05lb (.02kg) |