

GPAC2U4Q

GearPower Quick Charge 3.0 Car Charger

The smart way to charge two mobile devices simultaneously while on-the-go.



Quick Charge 3.0 Car Charger

The GearPower Quick Charge 3.0 Car Charger is the smart way to charge your mobile devices while on-the-go. This car charger comes equipped with a Quick Charge 3.0 port and a Smart IQ port that is able to detect how much power your device needs and adjust the output accordingly. The dual USB ports also allow you to charge two devices simultaneously while the Qualcomm® charging technology tailors the fastest possible charge to each of your connected devices.

Smart IQ Charging Protects Your Devices

The GearPower Quick Charge 3.0 Car Charger protects your connected devices from power surges, overheating, overcharging, and short circuits. The power of Quick Charge 3.0 lies in an algorithm called the Intelligent Negotiation for Optimum Voltage (INOv) that allows your device to pull a customized power level of charge for optimum power transfer. This means faster, more efficient charging and reduced power dissipation. For additional flexibility, this charger is backwards compatible with all previous versions of Qualcomm® Quick Charge™ technology and will also charge all your non-Quick Charge devices with Smart IQ technology, making it truly universal.

- Dual USB outputs allow simultaneous charging of tablets and/or smartphones
- Red USB Port: QC3.0 compliant (3.6~6.5V 3A, 9.5~9V 2A, 9~12V 1.5A) standard
- Works with Snapdragon 820, 620, 618, 617, and 430 smartphones
- White USB Port: 5V 2.4A with SmartIQ
- SmartIQ port detects how much power your device needs and adjust the output accordingly
- Optimized for charging iPod®/ iPhone® / iPad®
- Charges two iPads simultaneously





Requirements

- Standard 12V lighter socket or 12V power port
- USB device
- USB charging cable for your USB device (not included)

Package Contents

- 1 x GPAC2U4Q
- 1 x Warranty Card

Specifications

Function	GPAC2U4Q
----------	----------

Connectors	USB Type-A (x2)
-------------------	-----------------

LEDs	
-------------	--

Power On	
----------	--

Power	
--------------	--

Amps	White: 2.4A; Red: 3A, 2A, 1.5A
------	--------------------------------

Voltage	White: 5V; Red: 3.6~6.5V, 9~9.5V, 9~12V
---------	---

Power Input Rating	
---------------------------	--

Unit Power	12VDC
------------	-------

Dimensions	GPAC2U4Q
------------	----------

POP Information	
------------------------	--

10" Peg Hook	5
--------------	---

6" Peg Hook	3
-------------	---

Unit Dimensions	
------------------------	--

Length	3"
--------	----

Inner Pack	
-------------------	--

Width	12.6"
-------	-------

Height	6.25"
--------	-------

Length	4.75"
--------	-------

Inner Pack Qty.	6
-----------------	---

Unit Package Dimensions	
--------------------------------	--

Width	4.3"
-------	------

Height	5.75"
--------	-------

Depth	2.0"
-------	------

Master Carton	
----------------------	--

Width	13.5" (34.29 cm)
-------	------------------

Height	13.75" (34.93 cm)
--------	-------------------

Depth	10.25" (26.04 cm)
-------	-------------------

Master Carton Qty.	24
--------------------	----

Weight	
---------------	--

Master Carton Wt.	6.60lb (2.98kg)
-------------------	-----------------

Inner Pack Wt.	1.35lb (0.62kg)
----------------	-----------------

Unit Pack Wt.	0.20lb (0.08kg)
---------------	-----------------

Unit Wt.	0.05lb (0.02kg)
----------	-----------------