

GTD732

Thunderbolt 2 KVM / Docking Station (TAA Compliant)



- Transform your computers into complete, high-performance workstations using a single Thunderbolt 2 port
- Instantly dock up to 15 devices
- Connect a second Thunderbolt 2-enabled computer
- Both computers share connected resources with the switch of a button
- Compatible with Thunderbolt 1, 2 and 3 (need TB3 to TB2 adapter)
- Check out the [Try-and-Buy Program](#) for this product

Docking Station On Steroids


World's first Dock + KVM Switch. Instantly dock with up to 15 devices. Switch between your 2 computers with the push of a button & share these connected resources.



- Compatible with Thunderbolt 3 computers via a Thunderbolt 3 to Thunderbolt 2 Adapter*
 - Share your peripherals and Thunderbolt 2 devices between 2 computers
 - Supports up to 4K (3840x2160) resolution on both HDMI and Thunderbolt 2 ports**
 - Supports dual displays with HDMI and Thunderbolt 2 monitors***
 - Daisy chain up to 4 additional Thunderbolt devices plus 1 Thunderbolt Monitor (5 total)
 - Ultra-high speed bandwidth expansion for 4 times faster data transfer than USB 3.0 and 25 times faster than FireWire 800
 - Ability to connect up to 15 devices or peripherals to the dock (10 on dock + 5 via Thunderbolt expansion)
 - Integrated 3-port USB 3.0 and 2-port USB 2.0 Hub for external USB drives, cameras and phones
 - Optical audio-in/ audio-out port provides 5.1 digital audio editing and playback capabilities
 - Gigabit Ethernet port (RJ-45)
 - eSATA interface
 - TAA Compliant
 - Backwards compatible with Thunderbolt 1
- *An optional Apple Thunderbolt 3 (USB-C) to Thunderbolt 2 (mDP) Adapter is required
- **Maximum resolution is dependent on the capability of the video display and

***Dual display feature is only available on HDMI and Thunderbolt 2 connections. If connecting to an external display via Mini DisplayPort cable, then only one external display will work at a time.





Requirements

Package Contents

- MacBook Pro (Retina, 13-inch, Late 2012) and later
 - MacBook Pro (Retina, 15-inch, Mid 2012) and later
 - MacBook Pro (13-inch, Early 2011) and later
 - MacBook Pro (15-inch, Early, 2011) and later
 - MacBook Pro (11-inch, Mid 2011) and later
 - MacBook Air (13-inch, Mid 2011) and later
 - Mac mini (Mid 2011) and later
 - iMac (Mid 2011) and later
 - Mac Pro (Late 2013)
- 1 x Thunderbolt 2 KVM / Docking Station
 - 1 x 1m (3ft) Thunderbolt 2 Cable
 - 1 x AC Power Adapter
 - 1 x Base Stand
 - 1 x Quick Start Guide
 - 1 x Warranty Card

Specifications

Function	GTD732
Cable Connections	
Input	Thunderbolt 2 (Dual Inputs)
Output	Thunderbolt 2
Cable Length	3.3ft (1m)
Cable Type	Thunderbolt™ 2 Male to Male Cable
Connectors	
Audio Input	Analog/Optical Line-In
Audio Output	Analog/Optical Line-Out
Computer Side	Thunderbolt Port
Power	12V 7.5A Full Range Power Adapter
USB	3 x USB3.0 Data Port ; 2 x USB 2.0
Video Output	HDMI and Mini DP (Thunderbolt)
SATA / eSATA	eSATA Port x 1
LAN	Gigabit Ethernet
LEDs	
Power On	White LED

Dimensions	GTD732
Unit Dimensions	
Height	7.22" (18.34cm)
Depth	3.84" (9.75cm)
Length	2.24" (5.7cm)
Unit Package Dimensions	
Width	6.3" (16cm)
Height	8.75" (22.25cm)
Depth	5.51" (14cm)
Master Carton	
Width	7.0" (17.78cm)
Height	9.50" (24.13cm)
Depth	17.4"(44.2cm)
Master Carton Qty.	3
Weight	
Master Carton Wt.	13.15 lbs (6.12kgs)
Unit Pack Wt.	4.05 lbs (1.84kgs)
Unit Wt.	1.70 lbs (0.77kgs)