

GUC3C3V

USB-C to VGA / USB Multiport Adapter

The all-in-one adapter that lets you connect the only USB-C port of your laptop to a VGA display, while also connecting a standard USB device and a USB-C charging cable.



Get More Out Of Your USB-C Port

This all-in-one adapter allows customer to easily output HD video via VGA and add a USB Type-A port while powering their laptop up to 60W. If the USB-C port is not utilized, it can become a standard USB-C port for use with any USB-C peripheral device such as a hub, Ethernet adapter, card reader and more.

1. PD (Power Delivery) Pass-Thru

No need to worry about running out of power while using your USB-C port. Connect your laptop's original USB-C charger to the multiport adapter and charge your laptop while you work or play. Providing up to 60w of power, your laptop will charge at the fast rate you expect from USB-C.

- Expand your USB-C port to VGA, USB-C and USB Type-A port
- HD Video Resolution of up to 1920x1200@60HZ
- Supports USB-C Power Delivery up to 60W *
- USB-C downstream port x 1 (5Gbps)
- USB Type-A port x 1 (5Gbps)
- Compatible with Thunderbolt 3 (USB-C)

- DP (DisplayPort) ALT Mode¹

¹Compatible with DP ALT mode supported USB-C and Thunderbolt 3 (USB-C) laptops*


* Power Delivery pass-through requires USB-C charger from your laptop. A total of up to 52.5W can be charged to the laptop after deduction of 7.5W is used by the dock.

** Pass-thru power delivered to the laptop is dependent upon the capacity of your USB-C power supply.

Ex. If your USB-C power supply is 60W, then the maximum power can be delivered to the laptop is $60W - 7.5W = 52.5W$.

Regardless of the capacity of your USB-C power supply, the maximum power can be delivered to your laptop is 52.5W.





Requirements

Package Contents

-
- | | |
|---|---|
| <ul style="list-style-type: none">• Computer• Windows and Mac
USB-C Enabled
Computers• DP (DisplayPort) ALT
Mode Support | <ul style="list-style-type: none">• 1 x GUC3C3V• 1 x Warranty Card |
|---|---|

Specifications

Function	GUC3C3V	Dimensions	GUC3C3V
Upstream Port		POP Information	
USB-C	Built-in USB 3.1 G1 Type-C cable	10" Peg Hook	6
Downstream Port		6" Peg Hook	4
USB-A	1 x USB-A 3.0	Unit Dimensions	
USB-C	1 x USB-C for Power Delivery Pass-through or data transfer	Height	0.6" (1.5 cm)
VGA	1x VGA port (up to 1920x1200@60Hz)	Depth	1.58" (4 cm)
Power		Length	3.15" (8 cm)
Power Delivery Pass-Thru	60W (A total of up to 45W can be charged to the laptop after deduction of max 15W used by the dock)	Inner Pack	
Operating System Requirements		Width	7.7" (19.5 cm)
Windows	Windows 7/8/8.1/10	Height	6.1" (15.5 cm)
Mac	Mac OS X 10.7+	Length	4.7" (12 cm)
		Inner Pack Qty.	6
		Unit Package Dimensions	
		Width	4.33" (11 cm)
		Height	5.7" (14.5 cm)
		Depth	1.2" (3 cm)
		Master Carton	
		Width	16.2" (41 cm)
		Height	7" (18 cm)
		Depth	6.3" (16 cm)
		Master Carton Qty.	24
		Weight	
		Master Carton Wt.	6 lb (2.7kg)
		Inner Pack Wt.	1.25 lb (0.57 kg)
		Unit Pack Wt.	0.2 lb (0.09 kg)
		Unit Wt.	0.1 lb (0.05 kg)