

GUC3CDHD

USB-C Dual HD Portable Dock (TAA Compliant)

- Supports up to 4K (4096 x 2160 @30Hz) for single monitor viewing
- Connect a USB-C laptop to two 1080P HDMI displays
- Enjoy High Definition audio via HDMI
- Provides one USB-A 3.1 port for peripherals
- Fold-in cable design



USB-C to Dual HD Portable Dock

Get more out of your new USB-C or Thunderbolt 3 laptop with the USB-C to Dual HD Portable Dock. Create a dual HDMI monitor1 workstation to expand your productivity and efficiency. This TAA Compliant Portable Dock provides a USB type-A port for use with a keyboard, mouse, hard drive or printer and is the ideal companion for quick, easy connectivity while on-the-go.

Mirror or Extend Your Monitors

The USB-C to Dual HD Portable Dock allows you to mirror or extend your Windows-based USB-C laptop to two additional monitors or mirror your USB-C or Thunderbolt 3 MacBook to another monitor. When using a Windows USB-C laptop with two other monitors, your laptop screen can be utilized as a third monitor for separate task windows.


- Supports up to 4K (4096 x 2160 @30Hz) for single monitor viewing
- Connect a USB-C laptop to two 1080P HDMI displays
- Enjoy High Definition audio via HDMI
- Provides one USB-A 3.1 port for peripherals
- Fold-in cable design
- USB bus-powered
- TAA Compliant











Requirements

- USB-C (Thunderbolt 3 compatible) device with DP Alt Mode Support
- Host system with MST-enabled, GUC3CDHD can operate in extend mode; without MST, GUC3CDHD operates in mirror mode
- Windows 10+
- Mac OS X 10.12+ (Mac OS does not support MST)

Package Contents

- 1 x GUC3CDHD
- 1 x USB Type-C cable
- 1 x Quick Start Guide
- 1 x Warranty Card



Specifications

| Function | GUC3CDHD | Dimensions | GUC3CDHD |
|-------------------------------|--|-------------------------|-------------------|
| Cable Connections | | Unit Dimensions | |
| Input | 1 x USB-C | Height | 1" (2.54cm) |
| Cable Length | 3.3 ft. | Depth | 3.75" (9.53cm) |
| Cable Type | USB-C to USB-C | Length | 4.75"(12.07cm) |
| Connectors | | Inner Pack | |
| USB | 1 x USB-A 3.1 Gen1 | Width | 7"(17.78cm) |
| Video Output | 2x HDMI (Single: 4096 x 2160@30Hz; Dual Monitor at 1080p) | Height | 9"(22.86cm) |
| LEDs | world at 1000p) | Length | 6.5"(16.51cm) |
| Power On | White: Monitor and USB-A connection is good | Inner Pack Qty. | 3 |
| | | Unit Package Dimensions | |
| USB Peripherals | Orange: USB-C cable doesn't have sufficient power to run USB-A devices, needs to plug in USB-A device's original external power adapter | Width | 6.25"(15.88cm) |
| | | Height | 9"(22.86cm) |
| Operating System Requirements | | Length | 2.25"(5.72cm) |
| Mac | Mac OS X 10.12+ | Master Carton | |
| Windows | Windows 10 and above | Width | 14.75"(37.47cm) |
| | | Height | 10.5"(26.67cm) |
| | | Depth | 13.5"(34.29cm) |
| | | Master Carton Qty. | 12 |
| | | Weight | |
| | | Master Carton Wt. | 10 lb (4.54kgs) |
| | | Inner Pack Wt. | 2.1 lb (0.95Kgs) |
| | | Unit Pack Wt. | 0.6 lb (0.27Kgs) |
| | | Unit Wt. | 0.25 lb (0.11Kgs) |