

GUC3CDP60

USB Type-C to DisplayPort Adapter



- Connect your USB Type-C based Notebook, Ultrabook or Tablet to a DisplayPort based display or projector
- Compatible with the latest USB Type-C based desktops, notebooks and tablets including Apple® MacBook®, Chromebook™ Pixel and the Nokia N1 tablet
- Supports Video Resolutions of up to 4096x2160@60Hz
- Reversible USB Type-C connector ensures proper operation regardless of how the adapter is connected
- Compliant with DisplayPort Specification 1.2 Alternate Mode


USB-C to DisplayPort Adapter


IOGEAR's USB Type-C to DisplayPort adapter is the ideal hardware solution to convert a USB-C connection to a DisplayPort video output. This adapter gives you the ability to connect your USB-C-based device like the Apple® MacBook®, Google® Chromebook Pixel™ or other to any DisplayPort based display, projector or HDTV.

USB Type-C - The Next Break Through in Connectivity

USB-C is the latest advancement in the consumer electronics industry for device connectivity. Supporting a universal connectivity standard, USB-C unites all of your core functions into one powerful port. Thanks to its versatile design, compact footprint and unparalleled performance, USB-C connections are featured on next generation ultra-portable devices like the Apple MacBook, Google Chromebook Pixel and Asus® ZenPad tablets. IOGEAR's USB Type-C to DisplayPort adapter lets you take advantage of the versatility of your USB-C port on your portable device. USB-C has a reversible connector by design and allows for hassle-free operation by allowing you to simply connect your adapter, meaning that no matter how you plug it in, your adapter will always work.

- Connect your USB Type-C based Notebook, Ultrabook or Tablet to a DisplayPort based display or projector
- Compatible with the latest USB Type-C based desktops, notebooks and tablets including Apple® MacBook®, Chromebook™ Pixel and the Nokia N1 tablet
- Supports Video Resolutions of up to 4096 x [2160 @60Hz](#)
- Reversible USB Type-C connector ensures proper operation regardless of how the adapter is connected
- Compliant with DisplayPort Specification 1.2 Alternate Mode
- USB Bus Powered - No external power adapter necessary
- Supports Plug-N-Play; No drivers or software installation necessary
- USB 3.1 Gen 1 Compliant
- HDCP Compliant
- Works with the new USB-C iPad Pro under mirror-mode





Requirements

- Input
 - 1 x USB Type-C Source
- Output
 - 1 x Projector or Display with DisplayPort Port

Package Contents

- 1 x USB Type-C to DisplayPort Adapter

Specifications

| Function | GUC3CDP60 | Dimensions | GUC3CDP60 |
|--------------------------|-------------|--------------------------------|-----------|
| Cable Connections | | POP Information | |
| Input | USB Type-C | 10" Peg Hook | 9 pc |
| Output | Displayport | 6" Peg Hook | 5 pc |
| Resolution | 4K @ 60 | Unit Dimensions | |
| | | Height | 0.5" |
| | | Length | 7" |
| | | Depth | 0.82" |
| | | Inner Pack | |
| | | Height | 2.67" |
| | | Length | 15.4" |
| | | Width | 2.9" |
| | | Inner Pack Qty. | 6 pc |
| | | Unit Package Dimensions | |
| | | Height | 0.82" |
| | | Length | 8.5" |
| | | Width | 2.4" |
| | | Master Carton | |
| | | Height | 6.1 in |
| | | Width | 15.55 in |
| | | Depth | 10.83 in |
| | | Master Carton Qty. | 48 pc |
| | | Weight | |
| | | Master Carton Wt. | 5.73 lb |
| | | Inner Pack Wt. | 0.59 lbs |
| | | Unit Pack Wt. | 0.05 lbs |
| | | Unit Wt. | 0.04 lbs |