

GUC3CDP60

USB Type-C to DisplayPort Adapter



- Connect your USB Type-C based Notebook, Ultrabook or Tablet to a DisplayPort based display or projector
- Compatible with the latest USB Type-C based desktops, notebooks and tablets including Apple® MacBook®, Chromebook™ Pixel and the Nokia N1 tablet
- Supports Video Resolutions of up to 4096x2160@60Hz
- Reversible USB Type-C connector ensures proper operation regardless of how the adapter is connected
- Compliant with DisplayPort Specification 1.2 Alternate Mode

USB-C to DisplayPort Adapter


IOGEAR's USB Type-C to DisplayPort adapter is the ideal hardware solution to convert a USB-C connection to a DisplayPort video output. This adapter gives you the ability to connect your USB-C-based device like the Apple® MacBook®, Google® Chromebook Pixel™ or other to any DisplayPort based display, projector or HDTV.

USB Type-C - The Next Break Through in Connectivity

USB-C is the latest advancement in the consumer electronics industry for device connectivity. Supporting a universal connectivity standard, USB-C unites all of your core functions into one powerful port. Thanks to its versatile design, compact footprint and unparalleled performance, USB-C connections are featured on next generation ultra-portable devices like the Apple MacBook, Google Chromebook Pixel and Asus® ZenPad tablets. IOGEAR's USB Type-C to DisplayPort adapter lets you take advantage of the versatility of your USB-C port on your portable device. USB-C has a reversible connector by design and allows for hassle-free operation by allowing you to simply connect your adapter, meaning that no matter how you plug it in, your adapter will always work.

- Connect your USB Type-C based Notebook, Ultrabook or Tablet to a DisplayPort based display or projector
- Compatible with the latest USB Type-C based desktops, notebooks and tablets including Apple® MacBook®, Chromebook™ Pixel and the Nokia N1 tablet
- Supports Video Resolutions of up to 4096 x [2160 @60Hz](#)
- Reversible USB Type-C connector ensures proper operation regardless of how the adapter is connected
- Compliant with DisplayPort Specification 1.2 Alternate Mode
- USB Bus Powered - No external power adapter necessary
- Supports Plug-N-Play; No drivers or software installation necessary
- USB 3.1 Gen 1 Compliant
- HDCP Compliant
- Works with the new USB-C iPad Pro under mirror-mode





Requirements

Package Contents

- Input
 - 1 x USB Type-C Source
 - Output
 - 1 x Projector or Display with DisplayPort Port
- 1 x USB Type-C to DisplayPort Adapter

Specifications

Function	GUC3CDP60	Dimensions	GUC3CDP60
Cable Connections		POP Information	
Input	USB Type-C	10" Peg Hook	9 pc
Output	Displayport	6" Peg Hook	5 pc
Resolution	4K @ 60	Unit Dimensions	
		Height	0.5"
		Depth	0.82"
		Length	7"
		Inner Pack	
		Width	7.5 cm
		Height	6.8 cm
		Length	39.1 cm
		Inner Pack Qty.	6 pc
		Unit Package Dimensions	
		Width	2.4"
		Height	0.82"
		Length	8.5"
		Master Carton	
		Width	15.55 in
		Height	6.1 in
		Depth	10.83 in
		Master Carton Qty.	48 pc
		Weight	
		Master Carton Wt.	5.73 lb
		Inner Pack Wt.	0.59 lbs
		Unit Pack Wt.	0.05 lbs
		Unit Wt.	0.04 lbs