

GUC3CHD2

ViewPro-C USB-C to HDMI Adapter

4K (UHD) video output from your New MacBook and Chromebook without the hassle and high cost of purchasing new peripherals.



USB-C to HDMI Adapter - ViewPro-C

IOGEAR's ViewPro-C USB-C to HDMI Adapter allows a seamless connection from your USB-C based Notebook, Ultrabook™, or Tablet to a HDMI based display or projector. It allows you to expand the screen on your USB-C device with resolutions of up to 3840x2160 and a built-in billboard feature that meets USB 3.1 standards. The portable adapter features a compact 6-layer PCBA body, specially designed to reduce signal distortion and shield against electromagnetic interference for a completely uninterrupted use. The versatile ViewPro-C USB-C to HDMI Adapter is compatible with the latest USB Type-C based devices including the Apple MacBook®, Chromebook Pixel™ and Thunderbolt 3™ computers.

4K (UHD) Video Output From Your New MacBook and Chromebook


Display 4K content from your New MacBook® and Chromebook™ on the latest UHD televisions, projectors and displays. IOGEAR's USB-C to HDMI adapter allows you to stay connected to your legacy display, TV or projector in order to avoid the hassle and high cost of purchasing new peripherals. With support for video resolutions of up to 3840x2160, the adapter lets you take full advantage of the enhanced video capabilities of USB-C to give you crystal clear picture quality. The adapter supports the HDMI 1.4a standard for UHD (Ultra HD) video playback and the result is the highest level of visual fidelity currently available on the consumer market for HDMI.

Instant Compatibility Check with USB 3.1

The ViewPro-C plugs directly into your laptop's USB-C port and does not require any complicated installation. The adapter's built-in Billboard feature actively communicates with host devices to ensure seamless device compatibility. This means that if the adapter is connected to a host with incompatible alternate modes, it will alert the user of support details without having silent failures.

- Connect your USB-C based Notebook, Ultrabook, or Tablet to a HDMI based display or projector
- Compatible with the latest USB Type-C based desktops, notebooks and tablets including Apple MacBook, Chromebook Pixel and Thunderbolt 3 computers
- Supports Video Resolutions of up to 3840x2160
- Built-in Billboard feature that meets USB 3.1 standards
- 6-layer PCBA design that reduces signal distortion and improves EMI protection





Requirements

- USB 3.1 Type-C port with video support
- Windows® 7, Windows® 8, Windows® 8.1, Windows® 10
- Mac OS X 10.7+

Package Contents

- 1 x GUC3CHD2
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

Function	GUC3CHD2	Dimensions	GUC3CHD2
Connectors (Input)	USB Type-C (Male; 24-Pin)	POP Information	
Video connections		10" Peg Hook	6
Output	HDMI Type-A (Female; 19-Pin)	6" Peg Hook	4
Video Resolution	Up to 3840x2160 @ 30Hz	Unit Dimensions	
USB Specification	USB3.1 Gen 1	Length	6.75" (17.15cm)
Power Supply	Bus Powered	Inner Pack	
		Width	9.5" (24.13cm)
		Height	8" (20.32cm)
		Length	5.5" (13.97cm)
		Inner Pack Qty.	6
		Unit Package Dimensions	
		Width	5" (12.7cm)
		Height	7.13" (18.10cm)
		Depth	1.88" (4.76cm)
		Master Carton	
		Width	11.75" (29.8cm)
		Height	17.5" (44.5cm)
		Depth	10" (25.4cm)
		Master Carton Qty.	24
		Weight	
		Master Carton Wt.	9.06lb (4.11kg)
		Inner Pack Wt.	1.95lb (0.88kg)
		Unit Pack Wt.	0.25lb (0.11kg)
		Unit Wt.	0.05lb (0.02kg)