

GUD3C03

Compact USB-C Docking Station with PD Pass-Thru

- Full-sized productivity in a compact design
- Affordably connect up to 8 devices
- 4K Ultra HD (UHD)
- SD and Micro SD card reader built-in
- Use your USB-C power supply - Charge your laptop up to 45W



Ultra Compact USB-C Docking Station Packed with Features

Are you looking for a docking station that is affordable, compact, stylish and packed with features? Look no further. The IOGEAR USB-C Docking Station is designed to transform your USB-C laptop into a complete full-featured workstation. This dock will turn your laptop into a peripheral powerhouse that rivals your desktop PC. No longer will you be restricted by the type of ports available on the laptop. Easily add a full-sized keyboard and mouse, external hard drives, printers and webcams by connecting only one USB-C cable to your setup. With its compact design, it will seamlessly fit into your lifestyle whether in the office or on-the-go.

- Full-sized productivity in a compact design
- Affordably connect up to 8 devices
- 4K Ultra HD (UHD)
- SD and Micro SD card reader built-in
- Use your USB-C power supply - Charge your laptop up to 45W

- Works with the new USB-C iPad Pro under mirror-mode

* Power Delivery pass-through requires USB-C charger from your laptop. A total of up to 45W can be charged to the laptop after deduction of 15W is used by the dock.


** Pass-thru power delivered to the laptop is dependent upon the capacity of your USB-C power supply. Ex. If your USB-C power supply is 60W, then the maximum power can be delivered to the laptop is $60W - 15W = 45W$. Regardless of the capacity of your USB-C power supply, the maximum power can be delivered to your laptop is 45W.

*** When using the HDMI/VGA ports, only one video output is supported at a time (either VGA or HDMI)

**** When using the MiniDP/VGA ports, only one video output is supported at a time (either VGA or MiniDP)

***** For best video performance direct connections are recommended. Adapters and converters are not guaranteed to function properly.





Requirements

Package Contents

- | | |
|---|---|
| <ul style="list-style-type: none"> • System Requirements • USB-C compatible laptops with DP Alt-Mode support • USB-C AC Adapter from Laptop is needed for Power Delivery Pass-Through Function • Only one additional video output can be utilized for extended desktop using Mac OS • For dual screen extended desktop in Windows, you must use HDMI with DisplayPort • When VGA output is utilized, only one additional extended desktop screen will be available • Compatible with USB-C and Thunderbolt 3 laptop • For Windows OS: dual screen extended desktop can only configured though both HDMI and Mini DisplayPort* • For Mac OS: dual screen is operate in mirror mode via HDMI and Mini DisplayPort* | <ul style="list-style-type: none"> • 1 x USB-C Docking Station • 1 x Quick Start Guide • 1 x Warranty Card |
|---|---|

* Mini DisplayPort is not compatible with Thunderbolt 2 port, and the docking station will not work with Thunderbolt 2 display

** For best video performance, it is recommended to have direct connection between your external displays and the docking station, without using an adapter between the docking station and the display or video cables

*** Kindly note that for iPad pro, mouse or trackpad device will not work

pointer location in iPad

Operating System Requirements

Windows 10 Mac OS X
10.10.5+ (MST is not supported by Mac OS)
Google Chrome OS

Specifications

| Function | GUD3C03 | Dimensions | GUD3C03 |
|--------------------------------------|---|--------------------------------|------------------|
| Upstream Port | | Unit Dimensions | |
| USB-C | Built-in USB 3.1 Type-C cable | Height | 0.47" (1.2cm) |
| Downstream Port | | Length | 4.7" (12cm) |
| HDMI | 1x HDMI port (v.1.4 spec compliant, up to 3840x2160@30Hz) | Depth | 4.7" (12cm) |
| Mini DisplayPort | 1x miniDisplayPort port (v.1.2 spec compliant, up to 3840x2160@30Hz) | Inner Pack | |
| VGA | 1x VGA port (up to 1920x1200@60Hz) | Height | 7.5" (19cm) |
| Ethernet | 1x Gigabit Ethernet port | Length | 6.7" (17cm) |
| USB-A | 3x USB 3.0 A ports, 1 port with BC1.2 charging | Width | 5.1" (13cm) |
| USB-C | 1x USB-C port for Power Delivery pass-through only | Inner Pack Qty. | 6 |
| Card Reader | Supports SD/SDHC/SDXC @ UHS-I class, MMC | Unit Package Dimensions | |
| Audio | 1 x 3.5mm (in/out shared) | Height | 0.79" (2cm) |
| Power | | Length | 6.3" (16cm) |
| Power Delivery Pass-Thru | 60W (A total of up to 45W can be charged to the laptop after deduction of max 15W used by the dock) | Depth | 7" (18cm) |
| Operating System Requirements | | Master Carton | |
| Windows | Windows 7/8/8.1/10 | Height | 11" (28cm) |
| Mac | Mac OS X 10.10.5+ | Width | 14" (36cm) |
| | | Depth | 8.3" (21cm) |
| | | Master Carton Qty. | 24 |
| | | Weight | |
| | | Master Carton Wt. | 17.2 lb (7.8kgs) |
| | | Inner Pack Wt. | 4.2 lb (1.9kgs) |
| | | Unit Pack Wt. | 0.65 lb (0.3kgs) |
| | | Unit Wt. | 0.5 lb (0.23kgs) |