

GUD3C35

USB-C Laptop Docking Station with Power Delivery 3.0



- Quickly connect up to 10 devices through one USB-C cable
- Charge your laptop & attached devices with up to 100W pass-through power
- Ensure safe operations for devices during power changes with Fast Role Swap
- Read and write SD and Micro SD cards simultaneously
- Multiple video options: HDMI (4K), Mini DisplayPort (DP++/4K) or VGA (1080p)

Quickly Connect and Expand Your USB-C Laptop

The IOGEAR USB-C Laptop Docking Station with Power Delivery 3.0 gets you connected to up to 10 different devices through a single USB-C cable. Expand your USB-C laptop to accommodate your existing must-need devices and quickly turn your MacBook, Windows laptop or tablet into a fully functional workstation.

- Quickly connect up to 10 devices through one USB-C cable
- Charge your laptop & attached devices with up to 100W pass-through power^{1&2}
- Ensure safe operations for devices during power changes with Fast Role Swap
- Read and write SD and Micro SD cards simultaneously
- Multiple video options: HDMI (4K), Mini DisplayPort (DP++/4K)³ or VGA (1080p)
- Two monitor option via HDMI & Mini DisplayPort for up to 1080p @60Hz⁴
- 1 x 3.5mm Audio input & 1x 3.5mm Audio output
- 3x USB-A 3.0 ports; with 2 BC 1.2 charging port (1.5A)
- 1 x USB-C data port
- 1 x Gigabit Ethernet port
- HDCP 1.4 compliant

- Works with the new USB-C iPad Pro under mirror-mode

¹Power Delivery 3.0 pass-through offers up to 100W of charging power utilizing the laptop's USB-C power adapter. USB-C power adapter not included.


²Maximum of up to 85W of power can be delivered to the laptop after deduction of 15W used by the docking station. Pass-thru power delivered to the laptop is dependent upon the capacity of your USB-C power supply. Ex. If your USB-C power supply is 60W, then the maximum power can be delivered to the laptop is 60W-15W = 45W.

³DP++ supports HDMI and DVI output with active Mini DisplayPort adapters

⁴Only one additional video output is supported for extended desktop on macOS X.

Note: For best video performance, it is recommended to have direct connection between your external displays and the docking station, without using an adapter between the docking station and the display or video cables.





Requirements

Package Contents

- | | |
|---|---|
| <ul style="list-style-type: none"> • System Requirements • USB-C compatible laptops with DP Alt-Mode support • USB-C AC Adapter from Laptop is needed for Power Delivery Pass-Through Function • Only one additional video output can be utilized for extended desktop using Mac OS • For dual screen extended desktop in Windows, you must use HDMI with DisplayPort • When VGA output is utilized, only one additional extended desktop screen will be available • Compatible with USB-C and Thunderbolt 3 laptop • For Windows OS: dual screen extended desktop can only configured though both HDMI and Mini DisplayPort* • For Mac OS: dual screen is operate in mirror mode via HDMI and Mini DisplayPort* | <ul style="list-style-type: none"> • GUD3C35 x 1 • Quick Start Guide x 1 • Warranty card x 1 |
|---|---|

Operating System Requirements

- Windows 10
- Mac OS X 10.10.5+ (MST is not supported by Mac OS)
- Google Chrome OS

* Mini DisplayPort is not compatible with Thunderbolt 2 port, and the docking station will not work with Thunderbolt 2 display
 ** For best video performance, it is

connection between your external displays and the docking station, without using an adapter between the docking station and the display or video cables
 *** Kindly note that for iPad pro, mouse or trackpad device will not work due to the lack of mouse pointer location in iPad

Specifications

Function	GUD3C35	Dimensions	GUD3C35
Upstream Port		Unit Dimensions	
USB-C	Built-in USB 3.1 G1 Type-C cable	Height	2.96" (7.5cm)
Downstream Port		Length	13.78" (35cm)
HDMI	1x HDMI port (v.1.4 spec compliant, up to 3840x2160@30Hz)	Depth	0.39" (1.5cm)
Mini DisplayPort	1x miniDisplayPort port (v.1.2 spec compliant, up to 3840x2160@30Hz)	Unit Package Dimensions	
VGA	1x VGA port (up to 1920x1200@60Hz)	Height	4.53" (11.5cm)
USB-A	3x USB 3.0 A ports, 1 port with BC1.2 charging	Width	16.6" (42cm)
USB-C	1x USB-C port for charging, 1 x USB-C for data	Depth	1.57" (4cm)
Card Reader	Supports SD/SDHC/SDXC @ UHS-I class, MMC	Master Carton	
Ethernet	1x Gigabit Ethernet port	Height	5.9" (15cm)
Audio	DC3.5 port, support audio or microphone	Width	17.32" (44cm)
Power		Depth	9.84" (25cm)
Power Delivery Pass-Thru	PD 3.0 / 100W (A total of up to 85W can be charged to the laptop after deduction of max 15W used by the dock)	Master Carton Qty.	6
Operating System Requirements		Weight	
Windows	Windows 7 / 8 / 8.1 / 10	Master Carton Wt.	7.72lb (3.5kg)
Mac	Mac OS X 10.10.5+	Unit Pack Wt.	1.1 lb (0.5kg)
		Unit Wt.	0.85lb (0.39kg)