

GUWH104

Wireless USB 4-Port Hub



Exclusively for Wireless USB enabled PCs

IOGEAR's 4-Port Wireless USB Hub allows you to connect to Hi-Speed USB 2.0 devices wirelessly via Wireless USB enabled PCs*. With file transmission speeds of up to 480Mbps, it is ideal for wirelessly streaming audio or video from USB storage devices across the room up to 30 ft. away.** The hub is Wireless USB Certified to ensure it seamlessly works with other Certified Wireless USB products and is also backward compatible with USB 1.1 specifications.

- Works with Wireless USB enabled PC (with built-in Wireless USB module or IOGEAR adapter-GUWA100U, sold separately)
- Reduce Cable Clutter – Move USB devices away to eliminate the hassle of cable organizing and free up your desk space
- Wireless USB – Works like a regular USB hub without the cable tangling. NOT a Router for Internet sharing
- Multiple PC Connections – Access your USB devices from up to 3 host PCs and manually switch to the desired PC
- Certified Wireless USB -Seamlessly work with other Certified Wireless USB products
- Data transfer rate of up to 480Mbps
- Multi-path antenna design for better distance and performance



Requirements

- **PC**
- Computer enabled with Wireless USB technology
- Microsoft Windows® XP 32-bit (SP2 and up)
- Microsoft Windows® Vista® 32-bit
- USB 2.0 compliant hardware and system

* For best performance and maximum enjoyment, please regularly download the latest Hub Installer, user manual and firmware.

Package Contents

- 4-Port Wireless USB Hub
- Power Adapter
- USB A to mini B cable (for association)
- Quick Start Guide
- Installation CD
- Registration / Warranty Card

Specifications

Function	GUWH104	Dimensions	GUWH104
Housing		Unit Dimensions	
Case	Plastic	Height	0.65 in
LEDs		Depth	2.75 in
Power On	1 green LED	Width	3.87 in
Port Status	4	Unit Package Dimensions	
Association	1 blue color	Height	9.88 in
Host Status	3	Width	6.38 in
Power Consumption		Depth	2.38 in
Max Power Consumption 2.40W (480mA / 5VDC)		Master Carton	
Operating System Support		Height	7.25 in
Windows XP SP2, Windows Vista		Width	20.25 in
USB Specification		Depth	8.25 in
USB 1.1 and 2.0 compliant		Master Carton Qty.	6
Transfer Rate		Weight	
480 Mbps		Master Carton Wt.	7.2 lbs
Power Connections		Unit Pack Wt.	1.2 lbs
DC adapter (included)		Unit Wt.	0.6 lbs
Frequency Band			
WiMedia Band Group 1			
Data Rate			
53.3Mbps, 80Mbps, 106.6Mbps, 160Mbps, 200Mbps, 320Mbps, 400Mbps, 480Mbps			
Operating Range			
5 meters			
Number of Channel			
7 (TFI 1-4 and FFI 1-3)			
Antenna Type			
Omni-Directional, external whip antenna			
Power Adapter			
5V, 3A			
Number of Users			
3			
Frequency			
Range: 3.1GHz to 4.8GHz			
Connectors			
USB	1 mini B for Association; 4 down stream ports		
Environment			
Operation Temperature	0 to 50 degrees (Celsius)		
Storage Temperature	0 to 70 degrees (Celsius)		
Humidity	10 to 95 % RH (Non Condensing)		
RF Modulation Type			
OFDM			