

GUWH104

Wireless USB 4-Port Hub



Exclusively for Wireless USB enabled PCs

IOGEAR's 4-Port Wireless USB Hub allows you to connect to Hi-Speed USB 2.0 devices wirelessly via Wireless USB enabled PCs*. With file transmission speeds of up to 480Mbps, it is ideal for wirelessly streaming audio or video from USB storage devices across the room up to 30 ft. away.** The hub is Wireless USB Certified to ensure it seamlessly works with other Certified Wireless USB products and is also backward compatible with USB 1.1 specifications.

- Works with Wireless USB enabled PC (with built-in Wireless USB module or IOGEAR adapter-GUWA100U, sold separately)
- Reduce Cable Clutter – Move USB devices away to eliminate the hassle of cable organizing and free up your desk space
- Wireless USB – Works like a regular USB hub without the cable tangling. NOT a Router for Internet sharing
- Multiple PC Connections – Access your USB devices from up to 3 host PCs and manually switch to the desired PC
- Certified Wireless USB -Seamlessly work with other Certified Wireless USB products
- Data transfer rate of up to 480Mbps
- Multi-path antenna design for better distance and performance



Requirements

- **PC**
- Computer enabled with Wireless USB technology
- Microsoft Windows® XP 32-bit (SP2 and up)
- Microsoft Windows® Vista® 32-bit
- USB 2.0 compliant hardware and system

Package Contents

- 4-Port Wireless USB Hub
- Power Adapter
- USB A to mini B cable (for association)
- Quick Start Guide
- Installation CD
- Registration / Warranty Card

* For best performance and maximum enjoyment, please regularly download the latest Hub Installer, user manual and firmware.

Specifications

Function	GUWH104
Housing	
Case	Plastic
LEDs	
Power On	1 green LED
Port Status	4
Association	1 blue color
Host Status	3
Power Consumption	Max Power Consumption 2.40W (480mA / 5VDC)
Operating System Support	Windows XP SP2, Windows Vista
USB Specification	USB 1.1 and 2.0 compliant
Transfer Rate	480 Mbps
Power Connections	DC adapter (included)
Frequency Band	WiMedia Band Group 1
Data Rate	53.3Mbps, 80Mbps, 106.6Mbps, 160Mbps, 200Mbps, 320Mbps, 400Mbps, 480Mbps
Operating Range	5 meters
Number of Channel	7 (TFI 1-4 and FFI 1-3)
Antenna Type	Omni-Directional, external whip antenna
Power Adapter	5V, 3A
Number of Users	3
Frequency	Range: 3.1GHz to 4.8GHz
Connectors	
USB	1 mini B for Association; 4 down stream ports
Environment	
Operation Temperature	0 to 50 degrees (Celsius)
Storage Temperature	0 to 70 degrees (Celsius)
Humidity	10 to 95 % RH (Non Condensing)
RF Modulation Type	OFDM

Dimensions	GUWH104
Unit Dimensions	
Height	0.65 in
Depth	2.75 in
Width	3.87 in
Unit Package Dimensions	
Height	9.88 in
Width	6.38 in
Depth	2.38 in
Master Carton	
Height	7.25 in
Width	20.25 in
Depth	8.25 in
Master Carton Qty.	6
Weight	
Master Carton Wt.	7.2 lbs
Unit Pack Wt.	1.2 lbs
Unit Wt.	0.6 lbs