

GVS162W6

2-Port DVI Video Splitter with Audio



Simultaneously broadcast video across 2 displays. The video splitter is an ideal solution for simultaneous broadcasting environments and digital signage applications

- Classrooms, exhibits, trade shows, monitor testing, demonstrations and multi-media presentations.
- Broadcasting video information such as news headlines, stock prices, airline flights and train schedules.
- Universities with multiple campuses, a single teacher to teach class to students in two or more locations at the same time

IOGEAR's DVI splitter supports both Analog & Digital video signal PLUS Audio.

- Connects computers with DVI graphics to multiple DVI compatible monitors or projectors.
- Fully compliant with DVI-Digital and DVI-Analog.
- Supports DDWG (Digital Display Working Group) standard for DVI compliant monitors.
- Speaker enabled for audio enjoyment.
- Cascadable to 3 levels
- Installs in minutes.
- Maintains highest single link video resolution (1920 x 1200).
- DDC, DDC2, DDC2B Compatible (Port 1 only).



Requirements

- Monitors and TVs with DVI connections
- Computers or source devices with DVI connections

OS

- Windows XP, Windows Vista, Windows 7 32-/64-bit , Windows 8 32-/64-bit

Package Contents

- 1 x IOGEAR 2 Port DVI Video Splitter
- 1 x DVI-D 6ft Cable
- 1 x Mini-Stereo Jack (Male) to Stereo RCA Jack (Male)
- 1 x Mini-Stereo Jack (Male) to Stereo RCA Jack (Female)
- 1 x Full Range Universal Power Adapter
- 1 x US to German Prong Adapter
- 1 x Quick Start Guide
- 1 x Warranty / Registration Card

Specifications

Function	GVS162W6	Dimensions	GVS162W6
Housing		Unit Dimensions	
Case	Metal	Height	1.75 in
LEDs		Depth	8.3 in
Power On	1	Width	3.2 in
Power Consumption		Unit Package Dimensions	
Video Resolution	1920 x 1200	Height	12 in
Operating Temperature	32F~122F (0C~50C)	Width	10 in
Storage Temperature	-4F~140F (-20C~60C)	Depth	3.25 in
Humidity	0 - 80% RH (Non Condensing)	Master Carton	
Daisy Chain	Dependent on Signal Strength	Height	10.8 in (27.50cm)
Signal Type	DVI-Digital and DVI-Analog	Width	20.6 in (52.40cm)
Cable Distance	15 ft (4.6m)	Depth	13.6 in (34.50cm)
Connectors (Input)	1 x DVI Female, 1 x Earphone Jack Female	Master Carton Qty.	6
Connectors (Output)	2 x DVI Female, 2 x Earphone Jack Female	Weight	
		Master Carton Wt.	18.8 lb. (8.52 Kg)
		Unit Pack Wt.	3.2 lb. (1.42 Kg)
		Unit Wt.	1.75 lb (0.62 Kg)