

GVS182

2-Port HD Audio/Video Splitter, with 1 HDMI Input - 2 HDMI Outputs



IOGEAR's 2-Port HD Audio/Video Splitter is used to take high definition video from a single HDMI® media source and direct it to 2 separate HD TVs or displays. By using today's connectivity standard, HDMI (High Definition Multimedia Interface) and being High-bandwidth Digital Content Protection (HDCP) compliant, the GVS182 is able to support the highest quality HD video and multi-channel audio, play all the top DVD or Blu-Ray movies, and carry the best signal from source to 2 HD TVs or displays.

Compatible with TV resolution: 480i/480p/720p/1080i/1080p

Compatible with computer resolution: VGA/SVGA/XGA/SXGA/UXGA


- Stream a single HD media source to 2 displays
- Auto-downscale video resolution to fit all displays*
- Zero signal loss from source to display
- Full HD 1080p support
- HDMI Certified and HDCP Compliant
- Front panel reset button
- Power LED and Active Port LED
- Plug-N-Play

*Note: For HD media sources that support auto video resolution scaling.



How does it work?

- Connect a HDMI device
- Distribute media source to 2 HD TVs or displays



Requirements

- Display
- 1 HDMI input
- Media Source
- 1 HDMI output

Package Contents

- 1 x 2-Port HD Audio/Video Splitter
- 1 x Power Adapter
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

Function	GVS182	Dimensions	GVS182
Housing		POP Information	
Case	Plastic	10" Peg Hook	3
LEDs		6" Peg Hook	2
Power On	1	Unit Dimensions	
Port Status	2 (Output)	Width	4.375in.
Power		Height	0.875in.
Voltage	DC5V	Depth	2.75in.
Amps	1A	Inner Pack	
Power Consumption		Width	6.25in.
Data Rate		Height	5in.
Video Resolution		Depth	9in.
480i / 480p / 720p / 1080i / 1080p; VGA / SVGA / XGA / SXGA / UXGA		Inner Pack Qty.	3
Cable Connections		Unit Package Dimensions	
Input	HDMI	Width	4.75in.
Output	HDMI	Height	7.125in.
Connectors (Input)		Depth	2.875in.
1 x HDMI Type A 19 Pin Female		Master Carton	
Connectors (Output)		Width	10.875in.
2 x HDMI Type A 19 Pin Female		Height	10in.
Environment		Depth	13in.
Operation Temperature	32F~122F (0C~50C)	Master Carton Qty.	12
Humidity	0-80% RH (Non Condensing)	Weight	
Storage Temperature	-4F~140F (-20C~60C)	Master Carton Wt.	11.26lb
Switches		Inner Pack Wt.	2.5lb
Reset	1 x Reset Button	Unit Pack Wt.	0.76lb
		Unit Wt. w/accessories	0.46lb
		Unit Wt.	0.28lb