

GWHDKIT11

Wireless HD TV Connection Kit



Eliminate Cables Without Sacrificing HD Quality

With support for Full HD resolutions up to 1080p @60fps, you can place your HDTV or HD projector anywhere up to 150 ft. wirelessly from the video source without sacrificing picture and sound quality. Enjoy a stunning audio/video experience with the convenience of wireless transmission and the flexibility to eliminate cable clutter and move your TV to the patio or den for the big game or parties. Effectively transmit powerful long-range digital video across wide open spaces and living areas up to 150 ft. Save the time and expense of hiring installers to run HDMI cables through the ceiling and walls.


Plug-n-Play

The Wireless HD TV Connection Kit comes with everything you need inside the box to get started quickly. The kit includes 2 compatible HDMI cables, so there is no need to worry about shopping for the right cable. Connect the HDMI cables between your source video device and the HDMI transmitter and between the HDMI receiver and your TV. Plug in power, and you are ready to enjoy your video content.

Setting up the Kit is hassle-free and does not require a Wi-Fi network or complicated security configurations. The included transmitter and receiver come ready with security enabled and are paired to create an independent wireless network connection.

- Transmits High Definition Video and Audio up to 150ft
- Supports resolutions of up to 1080p @ 60fps
- Supports Infrared (IR) Remote signal transmission to control source device
- Plug-N-Play solution
- HDMI 1.3V and HDCP Compliant
- WPA security protection - already paired
- Applications:
 - living room
 - patio
 - man/lady cave
 - sporting events
 - garage





Requirements

- HDMI Source Device
- TV or Projector with HDMI Input

Package Contents

- 1 x GWHDKIT11 Transmitter
- 1 x GWHDKIT11 Receiver
- 2 x 3 Foot HDMI Cable
- 1 x IR Blaster Extension cable
- 1 x IR Receiver Extension cable
- 1 x 5VDC/2A Switching Power Supply
- 1x Quick Start Guide

Specifications

Function	GWHDKIT11
Display Output	
HDMI	1.3
Connectors	
Video Input	HDMI Interface
Video Output	HDMI Interface
Housing	
Case	Plastic
Infrared	
Frequency	20-60Hz
LEDs	
Association	HDMI input and output connection state
WLAN	Transmitter and Receiver wireless connection state
Power	
Amps	2.0
Voltage	5 DC
Power Consumption	Transmitter 7W/Receiver 5W
Power Supply	switching 100-240 VAC Input, 5VDC/2A Output
Video Resolution	1080P @60Hz
Warranty	1 - Year
Audio	
Codec	PCM
Video Streaming	Up to 10.2 Gbps
Radio Frequency	5.8 GHz
Operating Range	Up to 150 feet
Environment	
Operation Temperature	32-122F
Storage Temperature	14-158F

Dimensions	GWHDKIT11
Unit Dimensions	
Height	0.91 in
Depth	3.15 in
Length	4.72 in
Unit Package Dimensions	
Width	9.45 in
Height	4.33 in
Depth	6.93 in
Master Carton	
Width	14.25 in
Height	9.84 in
Depth	13.39 in
Master Carton Qty.	6
Weight	
Master Carton Wt.	12.35 lb
Unit Pack Wt.	1.55 lb
Unit Wt.	0.40 lb