

GWMHDKIT22

Expandable Wireless HDTV Connection Kit

- Wirelessly connect a HDTV to a video source such as cable boxes, Blu-ray players, laptops, and more
- · Avoid the hassle of expensive and disruptive wiring
- Expandable up to 10 TVs from 10 selectable HDMI sources
- 10 Independent wireless channels with no interference
- No wireless pairing required- Just match the receiver channel to transmit channel



Eliminate Cables Without Sacrificing HD Quality

This dedicated wireless solution sets up quickly and doesn't require a WiFi network. Connect a source device such as a cable box or satellite receiver, laptop or game console to an HDTV and transmit High Definition video and audio up to 150 feet through walls and doors.* With support for HD resolutions up to 1080p, you can eliminate your HDMI cables without sacrificing picture or sound quality.

- Wirelessly connect an HDTV to a video source such as cable boxes, Blu-ray players, laptops, and more
- · Avoid the hassle of expensive and disruptive wiring
- Each wireless transmitter (video source) can connect up to 2 wireless receivers (TVs)
- Also comes with its own remote for channel section for either the transmitter or receiver
- System expands to connect up to 10 TVs from 10 selectable HDMI sources
- 10 Independent wireless channels with no interference
- No wireless pairing required- Just match the receiver channel to transmit channel

- Transmit full HD video up to 150 ft. (1080p @ 60fps)
- Penetrates walls for flexible setup*
- High fidelity H.264 video compression
- Control video sources with their original remote controls via included IR remote kit
- No existing WiFi network required
- Advanced wireless technology- 5GHz
- WPA-2 wireless security
- * Ideally best performance is obtained using line-of-sight. Distances may vary depending on environment. Solid and non-porous materials such as steel, concrete, brick and glass (varies depending on coating and thickness) may cause shorter viewing distances or loss of signal.










Package Contents



Requirements

- UDAN ...
- 1 HDMI video source connection
- 1 HDMI display connection
- 1 x GWMHDKIT22 Transmitter
- 1 x GWMHDKIT22 Receiver
- IR Remote Control to Select Transmitter or Receiver Channels
- 2 x 3 Foot High Speed HDMI (TM) Cables
- 1 x IR Blaster Extension cable
- 1 x IR Receiver Extension cable
- 2 x 5VDC/2A Switching Power Supply
- 1 x Quick Start Guide



Specifications

Function	GWMHDKIT22	Dimensions	GWMHDKIT22
Video Resolution	1080p	Unit Dimensions	
Video Streaming	H.264 <200ms Latency	Height	0.875 in
Cable Connections		Length	5.75 in
Input	HDMI Connection	Depth	3.125 in
Output	HDMI Connection	Unit Package Dimensions	
Cable Length	3.3 feet	Height	3.125 in
Cable Type	High Speed HDMI Cable	Width	9.75 in
Connectors		Depth	7 in
Video Input	HDMI Connection	Master Carton	
Video Output	HDMI Connection	Height	10.50 in
Display Output		Width	14.50 in
HDMI	HDCP Support	Depth	10.25 in
Audio		Master Carton Qty.	6
Audio Output	PCM Stereo	Weight	
Antenna Type	External 5 DBi	Master Carton Wt.	12.70 lb
Power Supply	switching 100-240 VAC Input, 5VDC/2A Output	Unit Pack Wt.	1.95 lb
Housing	Ouput	Unit Wt.	0.25 lb x 2
Case	Plastic		
Power Consumption	Tx 7W, Rx 6.5W		
Infrared	,		
Frequency	20-60Hz		
Operating Range	150 ft		
Operating Temperature	32-122F		
.,	· -		