

GWMRHDKIT

Expandable Wireless TV Connection Kit with 2 Receivers

- Wirelessly connect a HDTV to a video source such as cable boxes, Blu-ray players, laptops, and more
- Avoid the hassle of expensive and disruptive wiring
- Expandable up to 10 TVs from 10 selectable HDMI sources
- 10 Independent wireless channels with no interference
- No wireless pairing required- Just match the receiver channel to transmit channel



Eliminate Cables Without Sacrificing HD Quality

The Expandable Wireless TV Connection Kit with two Receivers is a dedicated wireless solution that sets up quickly and does not require a WiFi network. Connect a source device such as a cable box or satellite receiver or laptop to an HDTV or display and stream High Definition audio and video up to 150 feet through walls and doors.* With support for HD resolutions up to 1080p, you can easily eliminate your HDMI cables without sacrificing picture or sound quality.

- Wirelessly connect a HDTV to a video source such as cable boxes, Blu-ray players, laptops, and more
- Avoid the hassle of expensive and disruptive wiring
- Expandable up to 10 TVs from 10 selectable HDMI sources
- 10 Independent wireless channels with no interference
- No wireless pairing required- Just match the receiver channel to transmit channel
- Transmit full HD video up to 150 ft. (1080p @ 60fps) *
- · Penetrates walls for flexible setup

- High fidelity H.264 video compression
- Control video sources with their original remote controls via included IR remote kit
- No existing WiFi network required
- Advanced wireless technology- 5GHz
- WPA-2 wireless security


*Distances may vary depending on environment. Solid and non-porous materials such as steel, concrete, brick and glass (varies depending on coating and thickness) may cause shorter viewing distances or loss of signal. Line of sight is recommended for optimal performance.











Requirements

- 1-2 video sources with HDMI output Connection
- 1-3 displays with HDMI input Connection

Package Contents

- 1 x GWMHDKIT22 Transmitter
- 2 x GWMHDKIT22 Receiver
- 3 x 3 Foot HDMI Cable
- IR Remote Control to Select Transmitter or Receiver Channels
- 1 x IR Blaster Extension cable
- 2 x IR Receiver Extension cable
- 3 x 5VDC/2A Switching Power Supply
- 1 x Quick Start Guide



Specifications

| Function | GWMRHDKIT | Dimensions | GWMRHDKIT |
|-----------------------|---|-------------------------|--------------|
| Video connections | | Unit Dimensions | |
| Input | HDMI Connection | Height | 0.75in |
| Output | HDMI Connection | Length | 5.625 in |
| Power | | Depth | 3.15 in |
| Voltage | switching 100-240 VAC Input, 5VDC/2A Output | Inner Pack | |
| Audio | | Height | 8.5 in |
| Codec | PCM | Length | 11 in |
| Warranty | 1-Year | Width | 13.25 in |
| Video Resolution | 1920 x 1080 | Inner Pack Qty. | 3 |
| Video Performance | | Unit Package Dimensions | |
| Local | Local Pass-through | Height | 10 in |
| Video Streaming | H.264 <200ms Latency | Width | 8 in |
| Cable Connections | | Depth | 4.25 in |
| Input | HDMI Connection | Master Carton | |
| Output | HDMI Connection | Height | 14 in |
| Cable Length | 3.3 FT. | Width | 18 in |
| Cable Type | Support HDCP 1.3 | Depth | 11.75 in |
| Display Output | | Master Carton Qty. | 6 |
| HDMI | HDCP Support | Weight | 00.05 !! |
| Antenna Type | External 5 DBi | Master Carton Wt. | 22.05 lb |
| Housing | | Inner Pack Wt. | 10.35 lb |
| Case | Plastic | Unit Pack Wt. | 3.15 lb |
| Power Consumption | Tx 7W, Rx 6.5W | Unit Wt. | 0.25 (x3) lb |
| Infrared | | | |
| Frequency | 20-60Hz | | |
| Operating Temperature | 32 - 122 F | | |
| Storage Temperature | 14 F - 158 F | | |
| | | | |